




2 WAY WAFER TYPE

BALL VALVE WITH ACTUATOR

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 Wafer type full bore ball valve [Valpres art. 725000] CF8M, ANSI 150, PN10-PN16-PN40 (PN40, not available for DN65-80-100).



Art. 8P023100

With double acting pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	40	40	40	40	20	20	20
ACT.	DA52	DA52	DA63	DA75	DA85	DA85	DA100
KIT	RI4230	RI4230	RI4231	RI4232	RI4233	RI4233	RI4233



Art. 8P023200

With spring return pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	40	40	40	40	20	20	20
ACT.	SR63	SR63	SR85	SR100	SR115	SR125	SR125
KIT	RI4234	RI4234	RI4232	RI4232	RI4235	RI4235	RI4235



Art. 8E128***

With electric actuator series 85.

DN	25	32	40	50	65	80	100
PN	40	40	40	40	20	20	20
ACT.	VB030	VB030	VB060	VB060	VB110	VB110	VB190
KIT	RI4230	RI4230	RI4231	RI4231	RI4233	RI4233	RI4233
12 V							
24 V							
100 - 240 V							



Art. 8M128***


With electric actuator series 86.

DN	25	32	40	50	65	80	100
PN	40	40	40	40	20	20	20
ACT.	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
KIT	RI4230	RI4230	RI4231	RI4231	RI4233	RI4233	RI4233
12 V							
24 V							
100 - 240 V							

VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 723000] PN16 flanged, stainless steel CF8M, full bore, antistatic device, ISO5211 pad direct.

NEW

Art. 8P090100

With double acting actuator series 82.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85
KIT	RI5161	RI5161	RI5163	RI5165	RI5166	RI5166	RI5166



Art. 8P090200

With spring return actuator series 82.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	SR63	SR63	SR75	SR75	SR85	SR100	SR115
KIT	RI5162	RI5162	RI5164	RI5164	RI5166	RI5167	RI5168



Art. 8E227***

With electric actuator series 85.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	VB030	VB030	VB030	VB030	VB060*	VB060*	VB110
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.



Art. 8M227***

With electric actuator series 86.


DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M*	VB060M*	VB110M
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.

VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 724000] PN16 flanged, carbon steel LCB, full bore, antistatic device, ISO 5211 pad direct.

NEW

Art. 8P090300

With double acting actuator series 82.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85
KIT	RI5161	RI5161	RI5163	RI5165	RI5166	RI5166	RI5166



Art. 8P090400

With spring return actuator series 82.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	SR63	SR63	SR75	SR75	SR85	SR100	SR115



Art. 8E228***

With electric actuator series 85.

DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	VB030	VB030	VB030	VB030	VB060*	VB060*	VB110
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.



Art. 8M228***

With electric actuator series 86.


DN	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M*	VB060M*	VB110M
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.

VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 723100] flanged ANSI 150, stainless steel CF8M, full bore, antistatic device, ISO 5211 pad direct.

NEW

Art. 8P090500

With double acting actuator series 82.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85
KIT	RI5161	RI5161	RI5163	RI5165	RI5166	RI5166	RI5166



Art. 8P090600

With spring return actuator series 82.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	SR63	SR63	SR75	SR75	SR85	SR100	SR115
KIT	RI5162	RI5162	RI5164	RI5164	RI5166	RI5167	RI5168



Art. 8E229***

With electric actuator series 85.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	VB030	VB030	VB030	VB030	VB060*	VB060*	VB110
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.



Art. 8M229***

With electric actuator series 86.


SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M*	VB060M*	VB110M
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 724100] flanged ANSI 150, carbon steel LCB, full bore, antistatic device, ISO 5211 pad direct.

NEW

Art. 8P090700

With double acting actuator series 82.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85
KIT	RI5161	RI5161	RI5163	RI5165	RI5166	RI5166	RI5166



Art. 8P090800

With spring return actuator series 82.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	SR63	SR63	SR75	SR75	SR85	SR100	SR115
KIT	RI5162	RI5162	RI5164	RI5164	RI5166	RI5167	RI5168



Art. 8E230***

With electric actuator series 85.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	VB030	VB030	VB030	VB030	VB060*	VB060*	VB110
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.



Art. 8M230***

With electric actuator series 86.

SIZE	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	20	20	20	20	20	20	20
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M*	VB060M*	VB110M
KIT	RI5161	RI5161	RI5163	RI5163	RI5166	RI5166	RI5166
12 V							
24 V							
100 - 240 V							

*Special version.

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 721000] PN16 flanged, stainless steel AISI 316 CF8M, full bore.



Art. 8P003200

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006



Art. 8P003400

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039



Art. 8E005***

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
KIT	RI3780	RI3013	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											

Art. 8M005***


With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	-	-	16	16	16	16	16	16	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
KIT	-	-	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											

***			VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004			

PRODUCT LEAFLET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 720184] stainless steel AISI 316, Fire Safe, Antistatic Device, classified ATEX Ex II 2 G/D c T3.



Art. 8P026500

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006

Art. 8P026600

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer, ball valve [Valpres art. 720000] PN16 flanged, stainless steel AISI 304 CF8 full bore.



Art. 8P003100

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006



Art. 8P003300

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039



Art. 8E006***

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
KIT	RI3780	RI3013	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											

Art. 8M006***

With electric actuator series 86.


DN	15	20	25	32	40	50	65	80	100	125	150
PN	-	-	16	16	16	16	16	16	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
KIT	-	-	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004
---------------------------	---------------------------	-----------------------------

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 720186] stainless steel AISI 304, Fire Safe, Antistatic Device, classified ATEX Ex II 2 G/D c T3.

Art. 8P026900

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006




Art. 8P027000

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 722000] PN16 flanged, full bore, carbon steel ASTM A105, with ball and stem in stainless steel AISI 304.



Art. 8P003500

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006



Art. 8P003700

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039

Art. 8E007***

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
KIT	RI3780	RI3013	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											




Art. 8M007***


With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	-	-	16	16	16	16	16	16	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
KIT	-	-	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI3004	RI3006
12 V											
24 V											
100 - 240 V											

VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 720185] carbon steel ASTM A105, Fire Safe, Antistatic Device, classified ATEX Ex II 2 G/D c T3.

Art. 8P026700

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA115	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3006




Art. 8P026800

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR140	SR160
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3039

PRODUCT LEAFLET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Water ball valve [Valpres art. 720212] flanged ANSI 300, full bore, stainless steel AISI 316 CF8M.



Art. 8P003900

With double acting pneumatic actuator series 82.

SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	50
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA115	DA125	DA180
KIT	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3817	RI3811	RI3195



Art. 8P004000

With spring return pneumatic actuator series 82.

SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	50
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR230
KIT	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819



Art. 8E057***

With electric actuator series 85.

SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	-
ACT.	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
KIT	RI3805	RI4041	RI4042	RI4043	RI4245	RI4044	RI3810	RI3810	RI3811	-
12 V										
24 V										
100 - 240 V										


Art. 8M057***


With electric actuator series 86.

SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	-
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
KIT	RI3805	RI4041	RI4042	RI4043	RI4245	RI4044	RI3810	RI3810	RI3811	-
12 V										
24 V										
100 - 240 V										

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 2 way Wafer ball valve [Valpres art. 720232] full bore, flanged ANSI 300, carbon steel ASTM A105 with ball and stem in stainless steel AISI 304.



Art. 8P004100

With double acting pneumatic actuator series 82.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	50
ACT.	DA52	DA63	DA63	DA63	DA75	DA85	DA100	DA115	DA125	DA180
KIT	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3817	RI3811	RI3195



Art. 8P004200

With spring return pneumatic actuator series 82.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	50
ACT.	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125	SR160	SR230
KIT	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819

Art. 8E058***

With electric actuator series 85.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	-
ACT.	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
KIT	RI3805	RI4041	RI4042	RI4043	RI4245	RI4044	RI3810	RI3810	RI3811	-
12 V										
24 V										
100 - 240 V										




Art. 8M058***

With electric actuator series 86.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
PN	50	50	50	50	50	50	50	50	50	-
ACT.	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
KIT	RI3805	RI4041	RI4042	RI4043	RI4245	RI4044	RI3810	RI3810	RI3811	-
12 V										
24 V										
100 - 240 V										

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



Wafer Split full bore PN16 flanged ball valve [Valpres art. 763000] stainless steel AISI 316, Fire Safe, Antistatic Device.



Art. 8P012500

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
KIT	RI3518	RI3519	RI3542	RI4271	RI3521	RI4117	RI3545	RI3546	RI3552



Art. 8P012600

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
KIT	RI3519	RI3829	RI3547	RI4272	RI3526	RI4117	RI3550	RI3551	RI3528



Art. 8E048***

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
KIT	RI3519	RI3519	RI3542	RI4271	RI3521	RI3521	RI3545	RI3546	RI3552
12 V									
24 V									
100 - 240 V									



Art. 8M048***


With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100
PN	-	-	40	40	40	40	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
KIT	-	-	RI3542	RI4271	RI3521	RI3521	RI3545	RI3546	RI3552
12 V									
24 V									
100 - 240 V									

***			VOLTAGE CODE		
12V AC/DC + 001		24V AC/DC + 002		100-240V AC + 004	

PRODUCT LEAFET **2 WAY FLANGED VALVES WITH ACTUATOR**



 Wafer Split full bore PN16 flanged ball valve [Valpres art. 764000] carbon steel ASTM A105, Fire Safe, Antistatic Device.



Art. 8P012700

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
KIT	RI3518	RI3519	RI3542	RI4271	RI3521	RI4117	RI3545	RI3546	RI3552



Art. 8P012800

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
KIT	RI3519	RI3829	RI3547	RI4272	RI3526	RI4117	RI3550	RI3551	RI3528



Art. 8E049***

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
KIT	RI3519	RI3519	RI3542	RI4271	RI3521	RI3521	RI3545	RI3546	RI3552
12 V									
24 V									
100 - 240 V									



Art. 8M049***

With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100
PN	-	-	40	40	40	40	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
KIT	-	-	RI3542	RI4271	RI3521	RI3521	RI3545	RI3546	RI3552
12 V									
24 V									
100 - 240 V									

***			VOLTAGE CODE		
12V AC/DC + 001		24V AC/DC + 002		100-240V AC + 004	



A.P.S. CONTROL CO., LTD., THAILAND

7 SOI ON-NUCH 62 SUKHUMVIT 77 RD. ON-NUCH SUANLUANG BANGKOK 10250 WWW.APSCONTROL.CO.TH

Tel: 0 2721 1800 (Auto) Fax: 0 2721 1791 E-mail: sales@apscontrol.co.th Line ID: aps.sales Tax.ID: 010-55430-20618

Note: We are engineering partner as a total system solution provider, VALBIA manufactures a range of components to ensure cost effective and reliable about quarter-turn actuators. As a comprehensive solution provider, We have great quality control procedures. The calculate various system designs and can work together perfectly. Finally we are fully committed to maintaining environment quality together.

VALBIA S.R.L., ITALY

Note: Only excellence allows to compete in the international market. The challenge can be faced thanks to the passion and the energy of the researchers, who plan and manufacture avant-garde quality and technology, a team which is perfectly integrated for providing total, customer satisfaction; we are ready!

To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice. This documentation supersedes and replaces all previous editions.

THE VALBIA BALL VALVE © 2019 Valbia. All Rights Reserved.