




3 WAY T-PORT OR L-PORT

BALL VALVE WITH ACTUATOR

PRODUCT LEAFLET **3 WAY VALVES WITH ACTUATOR**



 3 way brass ball valve CW617N [Rb artt. 3500 (T) - 3600 (L)] seals in P.T.F.E + Viton, threaded F/F/F, full bore "T" or "L" port, not suitable for use with solvents.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P008300 (T)

Art. 8P008400 (L)

With double acting pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	30	30	30	30	16	10	10	10
ACT.	DA32	DA32	DA32	DA52	DA52	DA52	DA63	DA75
KIT	RI4022	RI4022	RI4022	RI4023	RI4023	RI4023	RI4024	RI4026



Art. 8P008500 (T)

Art. 8P008600 (L)

With spring return pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	30	30	30	30	16	10	10	10
ACT.	SR52	SR52	SR52	SR63	SR63	SR63	SR85	SR100
KIT	RI3798	RI3798	RI3798	RI4025	RI4025	RI4025	RI4026	RI4026



Art. 8E028* (T)**

Art. 8E029* (L)**


With electric actuator series 85.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	30	30	30	30	16	10	10	10
ACT.	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060
KIT	RI3798	RI3798	RI3798	RI4023	RI4023	RI4023	RI4024	RI4024
12 V								
24 V								
100 - 240 V								

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve [Valpres artt. 772000 (T) - 775000 (L)] investment casted, stainless steel AISI 316-CF8M, threaded F/F/F with 4 seats, reduced bore, "T" or "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P005900 (T)

Art. 8P006000 (L)

With double acting pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	63	63	63	63	63	63	63	63
ACT.	DA52	DA52	DA52	DA63	DA63	DA63	DA85	DA85
KIT	RI3760	RI3760	RI3760	RI3770	RI3762	RI3763	RI3764	RI3003



Art. 8P006100 (T)

Art. 8P006200 (L)

With spring return pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	63	63	63	63	63	63	63	63
ACT.	SR63	SR63	SR63	SR75	SR85	SR85	SR115	SR115
KIT	RI3769	RI3769	RI3769	RI3773	RI3771	RI3772	RI4310	RI4311



Art. 8E027* (T)**

Art. 8E026* (L)**


With electric actuator series 85.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	63	63	63	63	63	63	63	63
ACT.	VB015	VB015	VB015	VB030	VB030	VB030	VB110	VB110
KIT	RI3760	RI3760	RI3760	RI3761	RI4034	RI4035	RI3764	RI3003
12 V								
24 V								
100 - 240 V								

***			VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004			

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve [Valpres artt. 776400 (T) - 776401 (L)], "T" or "L" port with 4 seats, PN16 flanged, stainless steel AISI 316, full bore, Antistatic Device.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P028300 (T)

Art. 8P028200 (L)

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	DA52	DA63	DA63	DA75	DA75	DA85	DA100	DA115	DA115
KIT	RI4408	RI3563	RI3563	RI4410	RI3522	RI3522	RI4411	RI4412	RI4412



Art. 8P028500 (T)

Art. 8P028400 (L)

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	SR63	SR85	SR85	SR100	SR100	SR115	SR125	SR140	SR140
KIT	RI4409	RI4131	RI4131	RI4410	RI4414	RI3550	RI4415	RI4406	RI4406



Art. 8E169* (T)**

Art. 8E168* (L)**

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB270
KIT	RI4408	RI3520	RI3520	RI4416	RI4039	RI3522	RI4411	RI4412	RI4412
12 V									
24 V									
100 - 240 V									



Art. 8M169* (T)**

Art. 8M168* (L)**

With electric actuator series 86.


DN	15	20	25	32	40	50	65	80	100
PN	-	16	16	16	16	16	16	16	16
ACT.	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB270M
KIT	-	RI3520	RI3520	RI4416	RI4039	RI3522	RI4411	RI4412	RI4412
12 V									
24 V									
100 - 240 V									

VOLTAGE CODE

12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004
---------------------------	---------------------------	-----------------------------

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve [Valpres artt. 776600 (T) - 776601 (L)], "T" or "L" port with 4 seats, PN16 flanged, carbon steel ASTM A105, full bore, Antistatic Device.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P028700 (T)

Art. 8P028600 (L)

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	DA52	DA63	DA63	DA75	DA75	DA85	DA100	DA115	DA115
KIT	RI4408	RI3563	RI3563	RI4410	RI3522	RI3522	RI4411	RI4412	RI4412



Art. 8P028900 (T)

Art. 8P028800 (L)

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	SR63	SR85	SR85	SR100	SR100	SR115	SR125	SR140	SR140
KIT	RI4409	RI4131	RI4131	RI4410	RI4414	RI3550	RI4415	RI4406	RI4406



Art. 8E164* (T)**

Art. 8E170* (L)**

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB270
KIT	RI4408	RI3520	RI3520	RI4416	RI4039	RI3522	RI4411	RI4412	RI4412

12 V

24 V

100 - 240 V

Art. 8M164* (T)**

Art. 8M170* (L)**

Con attuatore elettrico serie 86.

With electric actuator series 86.



DN	15	20	25	32	40	50	65	80	100
PN	-	16	16	16	16	16	16	16	16
ACT.	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB270M
KIT	-	RI3520	RI3520	RI4416	RI4039	RI3522	RI4411	RI4412	RI4412

12 V

24 V

100 - 240 V

VOLTAGE CODE

12V AC/DC
+ 001


24V AC/DC
+ 002

100-240V AC
+ 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



3 way Wafer ball valve **diverting** [Valpres artt. 776001 (T) - 776000 (L)] "T" or "L" port, 2 seats, flanged PN16, carbon steel ASTM A105 reduced bore.



PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P011300 (T)

Art. 8P005500 (L)

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100	DA100	DA125
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI4558	RI3042



Art. 8P011400 (T)

Art. 8P005600 (L)

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125	SR125	SR140
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3036	RI4562



Art. 8E013* (T)**

Art. 8E015* (L)**

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	16	16	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB190	VB350
KIT	RI3780	RI3013	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI4558	RI3042

12 V
24 V
100 - 240 V



Art. 8M013* (T)**

Art. 8M015* (L)**

With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100	125	150
PN	-	-	16	16	16	16	16	16	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB190M	VB350M
KIT	-	-	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004	RI4558	RI3042


12 V
24 V
100 - 240 V

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



3 way Wafer ball valve **diverting** [Valpres art. 776010 (T) - 776007 (L)] "T" or "L" port, 2 seats, flanged PN16, stainless steel AISI 316 reduced bore.



PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P011500 (T)

Art. 8P005700 (L)

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
KIT	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004



Art. 8P011600 (T)

Art. 8P005800 (L)

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
KIT	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005



Art. 8E016* (T)**

Art. 8E017* (L)**

With electric actuator series 85.

DN	15	20	25	32	40	50	65	80	100
PN	16	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
KIT	RI3780	RI3013	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004
12 V									
24 V									
100 - 240 V									



Art. 8M016* (T)**

Art. 8M017* (L)**


With electric actuator series 86.

DN	15	20	25	32	40	50	65	80	100
PN	-	-	16	16	16	16	16	16	16
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
KIT	-	-	RI3001	RI3008	RI3002	RI3002	RI3003	RI3003	RI3004
12 V									
24 V									
100 - 240 V									

***			VOLTAGE CODE		
12V AC/DC + 001		24V AC/DC + 002		100-240V AC + 004	

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way polished ball valve, from ingot, 4 seals, stainless steel AISI 316, polished, ISO 228 F/F threaded, full bore, "T" or "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P006300 (T)
Art. 8P006400 (L) With double acting pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	40	40	25	25	16	16
ACT.	DA52	DA52	DA52	DA63	DA63	DA63	DA75	DA85	DA85	DA100	DA100
KIT	-	-	-	-	-	-	-	-	-	-	-



Art. 8P006700 (T)
Art. 8P006800 (L) With spring return pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	40	40	25	25	16	16
ACT.	SR63	SR63	SR63	SR85	SR85	SR85	SR100	SR100	SR115	SR125	SR140
KIT	-	-	-	-	-	-	-	-	-	-	-



Art. 8E018* (T)**
Art. 8E019* (L)** With electric actuator series 85.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	40	40	25	25	16	16
ACT.	VB015	VB015	VB015	VB030*	VB030*	VB060	VB060*	VB060*	VB110	VB190	VB350
KIT	-	-	-	-	-	-	-	-	-	-	-
12 V											
24 V											
100 - 240 V											

* Special version.

Art. 8M018* (T)**
Art. 8M019* (L)** With electric actuator series 86.




SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	-	-	-	40	40	40	40	25	25	16	16
ACT.	-	-	-	VB030M*	VB030M*	VB060M	VB060M*	VB060M*	VB110M	VB190M	VB350M
KIT	-	-	-	-	-	-	-	-	-	-	-
12 V											
24 V											
100 - 240 V											

* Special version.

*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve, from ingot, 4 P.T.F.E seals, AISI 316, polished, DIN 11851 connections F/F/F full bore, "T" or "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P025100 (T)

Art. 8P021900 (L)

With double acting pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
ACT.	DA52	DA52	DA63	DA63	DA63	DA75	DA85	DA85	DA100	DA100
KIT	-	-	-	-	-	-	-	-	-	-



Art. 8P025200 (T)

Art. 8P022000 (L)

With spring return pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
ACT.	SR63	SR63	SR85	SR85	SR85	SR100	SR100	SR115	SR125	SR140
KIT	-	-	-	-	-	-	-	-	-	-



Art. 8E132* (T)**

Art. 8E122* (L)**


With electric actuator series 85.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
ACT.	VB015	VB015	VB030*	VB030*	VB060	VB060*	VB060*	VB110	VB190	VB350
KIT	-	-	-	-	-	-	-	-	-	-
12 V										
24 V										
100 - 240 V										

*Special version.

***	VOLTAGE CODE	
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



3 way flanged polished ball valve, from ingot, 4 seals, stainless steel AISI 316, full bore, "T" or "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P007100 (T)

Art. 8P007200 (L)

With double acting pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	16	16	16
ACT.	DA52	DA52	DA63	DA63	DA63	DA75	DA85	DA85	DA100	DA100
KIT	-	-	-	-	-	-	-	-	-	-



Art. 8P007500 (T)

Art. 8P007600 (L)

With spring return pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	16	16	16
ACT.	SR63	SR63	SR85	SR85	SR85	SR100	SR100	SR115	SR125	SR140
KIT	-	-	-	-	-	-	-	-	-	-



Art. 8E022* (T)**

Art. 8E023* (L)**

With electric actuator series 85.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	16	16	16
ACT.	VB015	VB015	VB030*	VB030*	VB060	VB060	VB060*	VB110	VB190	VB350
KIT	-	-	-	-	-	-	-	-	-	-
12 V										
24 V										
100 - 240 V										

*Special version.

Art. 8M022* (T)**

Art. 8M023* (L)**

With electric actuator series 86.

DN	10	15	20	25	32	40	50	65	80	100
PN	-	-	40	40	40	40	25	16	16	16
ACT.	-	-	VB030M*	VB030M*	VB060M	VB060M	VB060M*	VB110M	VB190M	VB350M
KIT	-	-	-	-	-	-	-	-	-	-
12 V										
24 V										
100 - 240 V										


*Special version.



*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve, from ingot, AISI 316, clamp connections ISO 2852, DIN 32676 TABLE 4 REIHE C for tube BS/OD (ASTM A270), 4 P.T.F.E seals, polished, full bore or reduced bore, "T" or "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P025600 (T)

Art. 8P025500 (L)

With double acting pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
CLAMP	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52	DA52	DA63	DA63	DA63	DA75	DA85	DA85	DA100	DA100



Art. 8P025800 (T)

Art. 8P025700 (L)

With spring return pneumatic actuator series 82.

DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
CLAMP	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63	SR63	SR85	SR85	SR85	SR100	SR100	SR115	SR125	SR140



Art. 8E145* (T)**

Art. 8E144* (L)**

With electric actuator series 85.


DN	10	15	20	25	32	40	50	65	80	100
PN	40	40	40	40	40	40	25	25	16	16
CLAMP	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB015	VB015	VB030*	VB030*	VB060	VB060*	VB060*	VB110	VB190	VB350
12 V										
24 V										
100 - 240 V										


*Special version.

***	VOLTAGE CODE	
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve, 9SMnPb36, "L" or "T" port, **diverting only**, F/F/F threaded, for high pressure, for hydraulic oil, emulsion, gas. For particular applications refer to sales department.



PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P015400 (T)

Art. 8P015300 (L) With double acting pneumatic actuator series 82.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	DA52	DA63	DA75	DA75
KIT	RI3740	RI3741	RI3742	RI3742



Art. 8P015600 (T)

Art. 8P015500 (L) With spring return pneumatic actuator series 82.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	SR75	SR75	SR100	SR100
KIT	RI3745	RI3745	RI3742	RI3742



Art. 8E052* (T)**

Art. 8E051* (L)** With electric actuator series 85.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	VB030	VB030	VB030\	VB060
KIT	RI3740	RI3740	RI4037	RI4038
12 V				
24 V				
100 - 240 V				



Art. 8M052* (T)**


Art. 8M051* (L)** With electric actuator series 86.


SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	VB030M	VB030M	VB030M	VB060M
KIT	RI3740	RI3740	RI4037	RI4038
12 V				
24 V				
100 - 240 V				

***			VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004			

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way ball valve, AISI 316L, "L" or "T" port, **diverting only**, F/F/F threaded, for high pressure, for hydraulic oil, emulsion, gas. For particular applications refer to sales department.



PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P023400 (T)

Art. 8P023300 (L) With double acting pneumatic actuator series 82.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	DA52	DA63	DA75	DA75
KIT	RI3740	RI3741	RI3742	RI3742



Art. 8P023600 (T)

Art. 8P023500 (L) With spring return pneumatic actuator series 82.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	SR75	SR75	SR100	SR100
KIT	RI3745	RI3745	RI3742	RI3742



Art. 8E130* (T)**

Art. 8E129* (L)** With electric actuator series 85.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	VB030	VB030	VB030\	VB060
KIT	RI3740	RI3740	RI4037	RI4038
12 V				
24 V				
100 - 240 V				



Art. 8M130* (T)**


Art. 8M129* (L)** With electric actuator series 86.

SIZE	3/8"	1/2"	3/4"	1"
PN	400	350	350	350
ACT.	VB030M	VB030M	VB030M	VB060M
KIT	RI3740	RI3740	RI4037	RI4038
12 V				
24 V				
100 - 240 V				

***			VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004			

PRODUCT LEAFET **3 WAY VALVES WITH ACTUATOR**



 3 way PVC ball valve, "T" or "L" port, with metric series plain female ends for solvent welding.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

Art. 8P016300 (T)

Art. 8P016700 (L)

With double acting pneumatic actuator series 82.

DN	15	20	25	32	40	50
PN	16	16	16	16	16	16
ACT.	DA52	DA63	DA63	DA63	DA63	DA63
KIT	-	-	-	-	-	-



Art. 8P016400 (T)

Art. 8P016800 (L)

With spring return pneumatic actuator series 82.

DN	15	20	25	32	40	50
PN	16	16	16	16	16	16
ACT.	SR52	SR63	SR63	SR75	SR75	SR85
KIT	-	-	-	-	-	-



Art. 8E060* (T)**

Art. 8E061* (L)**

With electric actuator series 85.

DN	15	20	25	32	40	50
PN	16	16	16	16	16	16
ACT.	VB015*	VB030	VB030	VB030*	VB030*	VB030*
KIT	-	-	-	-	-	-
12 V						
24 V						
100 - 240 V						

*Special version.

VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004



A.P.S. CONTROL CO., LTD., THAILAND

7 SOI ON-NUCH 62 SUKHUMVIT 77 RD. ON-NUCH SUANLUANG BANGKOK 10250 WWW.APSCONTROL.CO.TH

Tel: 0 2721 1800 (Auto) Fax: 0 2721 1791 E-mail: sales@apscontrol.co.th Line ID: aps.sales Tax.ID: 010-55430-20618

Note: We are engineering partner as a total system solution provider, VALBIA manufactures a range of components to ensure cost effective and reliable about quarter-turn actuators. As a comprehensive solution provider, We have great quality control procedures. The calculate various system designs and can work together perfectly. Finally we are fully committed to maintaining environment quality together.

VALBIA S.R.L., ITALY

Note: Only excellence allows to compete in the international market. The challenge can be faced thanks to the passion and the energy of the researchers, who plan and manufacture avant-garde quality and technology, a team which is perfectly integrated for providing total, customer satisfaction; we are ready!

To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice. This documentation supersedes and replaces all previous editions.

THE VALBIA BALL VALVE © 2019 Valbia. All Rights Reserved.