



3 WAY L-PORT

# BALL VALVE WITH ACTUATOR



Diverter brass ball valve [Rb art. 3210 (L)] full bore female threaded, "L" port.

PLEASE SPECIFY THE FLOW PATH WHILE ORDERING.

**Art. 8P015100 (L)**

With double acting pneumatic actuator rotation 0°-180° series 83.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	25	25	25	16	16	10	10	10
ACT.	DA52	DA52	DA52	DA52	DA52	DA52	DA52	DA63
KIT	RI4017	RI4017	RI4017	RI4017	RI4017	RI4017	RI4016	RI4018



**Art. 8E087\*\*\* (L)**

With electric actuator rotation 0°-180° series 85.


SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
PN	25	25	25	16	16	10	10	10
ACT.	VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030
KIT	RI4017	RI4017	RI4017	RI4017	RI4017	RI4017	RI4016	RI4016
<b>12 V</b>								
<b>24 V</b>								
<b>100 - 240 V</b>								



***			VOLTAGE CODE		
12V AC/DC <b>+ 001</b>	24V AC/DC <b>+ 002</b>	100-240V AC <b>+ 004</b>			



Deviator 3 way ball valve **diverting**, from ingot, 2 P.T.F.E seals, AISI 316, polished, ISO 228 F/F/F threaded "L" port.



**ATTENZIONE**  
Applicazioni consentite.  
To be used as per  
chart only.

**Art. 8P022100**

With double acting pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	25	25	25	25	16	16
ACT.	DA52	DA52	DA52	DA63	DA63	DA63	DA63	DA75	DA75	DA85	DA85
KIT	-	-	-	-	-	-	-	-	-	-	-



**Art. 8P022200**

With spring return pneumatic actuator series 82.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	25	25	25	25	16	16
ACT.	SR52	SR52	SR52	SR63	SR85	SR85	SR85	SR100	SR115	SR125	SR125
KIT	-	-	-	-	-	-	-	-	-	-	-



**Art. 8E123\*\*\***

With electric actuator series 85.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	40	40	40	40	40	25	25	25	25	16	16
ACT.	VB015	VB015	VB015	VB030*	VB030*	VB060	VB060	VB060*	VB060*	VB110	VB110
KIT	-	-	-	-	-	-	-	-	-	-	-
12 V											
24 V											
100 - 240 V											

\*Special version.

**Art. 8M123\*\*\***

With electric actuator series 86.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
PN	-	-	-	40	40	25	25	25	25	16	16
ACT.	-	-	-	VB030M*	VB030M*	VB060M	VB060M	VB060M*	VB060M*	VB110M	VB110M
KIT	-	-	-	-	-	-	-	-	-	-	-
12 V											
24 V											
100 - 240 V											

\*Special version.



*** VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004



**A.P.S. CONTROL CO., LTD.**, THAILAND

7 SOI ON-NUCH 62 SUKHUMVIT 77 RD. ON-NUCH SUANLUANG BANGKOK 10250 WWW.APSCONTROL.CO.TH

Tel: 0 2721 1800 (Auto) Fax: 0 2721 1791 E-mail: sales@apscontrol.co.th Line ID: aps.sales Tax.ID: 010-55430-20618

Note: We are engineering partner as a total system solution provider, VALBIA manufactures a range of components to ensure cost effective and reliable about quarter-turn actuators. As a comprehensive solution provider, We have great quality control procedures. The calculate various system designs and can work together perfectly. Finally we are fully committed to maintaining environment quality together.

**VALBIA S.R.L.**, ITALY

Note: Only excellence allows to compete in the international market. The challenge can be faced thanks to the passion and the energy of the researchers, who plan and manufacture avant-garde quality and technology, a team which is perfectly integrated for providing total, customer satisfaction; we are ready!

To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice. This documentation supersedes and replaces all previous editions.

THE VALBIA BALL VALVE © 2019 Valbia. All Rights Reserved.