



WAFER TYPE

BUTTERFLY VALVE WITH ACTUATOR



Valvola a farfalla tipo Wafer PN16 (da DN50 a DN300), PN10 (da DN350 a DN600) corpo in ghisa GG25+vernice epossidica, disco in GGG40 nichelato, da DN50 a DN300 guarnizione in EPDM [Valpres art. 600104] o NBR [Valpres art. 600117] da DN350 a DN600 guarnizione in EPDM art. 905276.

Butterfly valve Wafer type PN16 (from DN50 to DN300), PN10 (from DN350 to DN600), body in cast iron GG25+ epoxy painting, disc GGG40 nickeled, EPDM [Valpres art. 600104] or NBR [Valpres art. 600117] seat from DN50 to DN300, EPDM seat art. 905276 from DN350 to DN600.



Art. 8P009700 (EPDM) Con attuatore pneumatico doppio effetto serie 82.
Art. 8P019500 (NBR) With double acting pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	Art. 8P023700 (EPDM)*				
										350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA63	DA75	DA85	DA85	DA115	DA125	DA140	DA160	DA200	DA200	DA230	DA270
KIT	RI3836	RI3836	RI3838	RI3839	RI3840	RI3841	RI3965	RI3865	RI3868	RI4236	RI4171	RI4171	RI4239	RI4172

*A richiesta anche in NBR - NBR upon request.

Art. 8P009800 (EPDM) Con attuatore pneumatico semplice effetto serie 82.
Art. 8P019600 (NBR) With spring return pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	Art. 8P023800 (EPDM)*				
										350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR63	SR85	SR85	SR100	SR115	SR160	SR160	SR200	SR230	SR270	SR270	SR330	-
KIT	RI3843	RI3843	RI3844	RI3840	RI3846	RI4450	RI3848	RI3867	RI3309	RI4894	RI4193	RI4193	RI4895	-

*A richiesta anche in NBR - NBR upon request.

Art. 8E034* (EPDM)** Con attuatore elettrico serie 85.
Art. 8E096* (NBR)** With electric actuator series 85.



DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB350	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3883	RI3884	RI3840	RI3847	RI3965	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														

Art. 8M034* (EPDM)** Con attuatore elettrico serie 86.
Art. 8M096* (NBR)** With electric actuator series 86.



DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB350M	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3883	RI3884	RI3840	RI3847	RI3965	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004
--------------------	--------------------	----------------------



Valvola a farfalla tipo Wafer PN16, (da DN32 a DN300) PN10 (da DN350 a DN600) corpo in ghisa GG25+vernice epossidica, disco in AISI 316 (da DN32 a DN300), guarnizione in EPDM [Valpres art. 600105] o NBR [Valpres art. 600119] da DN350 a DN600 guarnizione in EPDM art. 905257.

Butterfly valve Wafer type PN16, (from DN32 to DN300) PN10 (from DN350 to DN600) body in cast iron GG25+ epoxy painting, disc AISI 316, EPDM [Valpres art. 600105] or NBR [Valpres art. 600119] seat from DN32 to DN300, EPDM seat art. 905257 from DN350 to DN600.



Art. 8P010100 (EPDM) Con attuatore pneumatico doppio effetto serie 82.
Art. 8P019700 (NBR) With double acting pneumatic actuator series 82.

												Art. 8P023900 (EPDM)*				
DN	32	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA115	DA125	DA140	DA160	DA200	DA200	DA230	DA270
KIT	RI3155	RI3836	RI3836	RI3836	RI3838	RI3839	RI3840	RI3841	RI3965	RI3865	RI3868	RI4236	RI4171	RI4171	RI4239	RI4239

*A richiesta anche in NBR - NBR upon request.

Art. 8P010200 (EPDM) Con attuatore pneumatico semplice effetto serie 82.
Art. 8P019800 (NBR) With spring return pneumatic actuator series 82.

												Art. 8P024000 (EPDM)*				
DN	32	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR63	SR63	SR63	SR85	SR85	SR100	SR115	SR160	SR160	SR200	SR230	SR270	SR270	SR330	-
KIT	RI3176	RI3843	RI3843	RI3843	RI3844	RI3840	RI3846	RI4450	RI3848	RI3867	RI3309	RI4894	RI4193	RI4193	RI4895	-

*A richiesta anche in NBR - NBR upon request.



Art. 8E036* (EPDM)** Con attuatore elettrico serie 85.
Art. 8E101* (NBR)** With electric actuator series 85.

DN	32	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	VB350	-	-	-	-	-	-
KIT	RI3155	RI3836	RI3836	RI3836	RI3883	RI3884	RI3840	RI3847	RI3965	RI3865	-	-	-	-	-	-
12 V																
24 V																
100 - 240 V																



Art. 8M036* (EPDM)** Con attuatore elettrico serie 86.
Art. 8M101* (NBR)** With electric actuator series 86.

DN	32	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	-	-	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	-	-	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	VB350M	-	-	-	-	-	-
KIT	-	-	RI3836	RI3836	RI3883	RI3884	RI3840	RI3847	RI3965	RI3865	-	-	-	-	-	-
12 V																
24 V																
100 - 240 V																

*** CODICE TENSIONE - VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004



- Valvola a farfalla tipo Wafer PN16, corpo in ghisa G250+vernice epossidica, disco in AISI 316, guarnizione in VITON temperatura massimo esercizio 150°C.
- Butterfly valve Wafer type PN16, G250 cast iron+epoxy painting, AISI 316 disc, VITON seat max operating temperature 150°C.



- Art. 8P020500 (VITON)** Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300
PN	16	16	16	16	16	16	16	16	16
ACT.	DA52	DA52	DA63	DA75	DA85	DA85	DA115	DA125	DA140
KIT	RI3836	RI3836	RI3838	RI3839	RI3840	RI3841	RI3965	RI3865	RI3868

- Art. 8P020600 (VITON)** Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300
PN	16	16	16	16	16	16	16	16	16
ACT.	SR63	SR63	SR85	SR85	SR100	SR115	SR160	SR160	SR200
KIT	RI3843	RI3843	RI3844	RI3840	RI3846	RI4450	RI3848	RI3867	RI3309



A.P.S. CONTROL CO., LTD., THAILAND

7 SOI ON-NUCH 62 SUKHUMVIT 77 RD. ON-NUCH SUANLUANG BANGKOK 10250 WWW.APSCONTROL.CO.TH
Tel: 0 2721 1800 (Auto) Fax: 0 2721 1791 E-mail: sales@apscontrol.co.th Line ID: aps.sales Tax.ID: 010-55430-20618

Note: We are engineering partner as a total system solution provider, VALBIA manufactures a range of components to ensure cost effective and reliable about quarter-turn actuators. As a comprehensive solution provider, We have great quality control procedures. The calculate various system designs and can work together perfectly. Finally we are fully committed to maintaining environment quality together.

VALBIA S.R.L., ITALY

Note: Only excellence allows to compete in the international market. The challenge can be faced thanks to the passion and the energy of the researchers, who plan and manufacture avant-garde quality and technology, a team which is perfectly integrated for providing total, customer satisfaction; we are ready!
To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice. This documentation supersedes and replaces all previous editions.

THE VALBIA BUTTERFLY VALVE © 2019 Valbia. All Rights Reserved.