



DWTT.E19189 - Conduit Fittings

Conduit Fittings

See General Information for Conduit Fittings

COOPER CROUSE-HINDS

WOLF & 7TH NORTH ST
PO BOX 4999
SYRACUSE, NY 13221 USA

E19189

Trademark and/or Tradename: "C-H" , "Eaton"

45 degree liquid tight compression connectors Model(s) LTB10045SS, LTB12545SS, LTB15045SS, LTB20045SS, LTB3845SS, LTB5045SS, LTB7545SS

90 Deg LT connectors Model(s) LT10090DC, LT12590DC, LT15090DC, LT20090DC, LT25090DC, LT30090DC, LT35090DC, LT3890DC, LT40090DC, LT5090DC, LT7590DC

90 Deg LT connectors with insulators Model(s) LTB10090DC, LTB12590DC, LTB15090DC, LTB20090DC, LTB25090DC, LTB30090DC, LTB35090DC, LTB3890DC, LTB40090DC, LTB5090DC, LTB7590DC

90 degree liquid tight compression connectors Model(s) LT90-200SS, LTB10090SS, LTB12590SS, LTB20090SS, LTB3890SS, LTB5090SS, LTB7590SS

Adaptors Model(s) SRLT100-100F, SRLT50-50F, SRLT75-75F

Bushings Model(s) 1031DC, 1032DC, 1033DC, 1034DC, 1035DC, 1036DC, 1037DC, 1038DC, 1039DC, 1040DC, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, H1031DC, H1032DC, H1033DC, H1034DC, H1035DC, H1036DC, H1038DC

Bushings, insulated, for use where the temperatures do not exceed 150 C Model(s) H1031, H1032, H1033, H1034, H1035, H1036, H1037, H1038, H1039, H1040, HS1031, HS1032, HS1033, HS1034, HS1035, HS1036, HS1037, HS1038, HS1039, HS1040

Bushings, threadless, with insulating liner Model(s) S1031, S1032, S1033, S1034, S1035, S1036, S1037, S1038, S1039, S1040, S1041, S1042

Bushings, with thermoplastic liners Model(s) 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, H1031, H1032, H1033, H1034, H1035, H1036, H1037, H1038, H1039, H1040, H1031, H1032, H1033, H1034, H1035, H1036, H1037, H1038, H1039, H1040, S1042

Capped elbows Model(s) 810, 811, 812, 813, 814, 815, 820, 821, 822, 823, 824, 825

Combination couplings Model(s) ACCSS50, ACCSS75

Compression connectors Model(s) CPR1, CPR10, CPR11, CPR12, CPR13, CPR14, CPR15, CPR16, CPR17, CPR18, CPR19, CPR2, CPR20, CPR3, CPR4, CPR5, CPR6, CPR7, CPR8, CPR9

Compression Couplings Model(s) XPC1, XPC10, XPC2, XPC3, XPC5, XPC6, XPC7, XPC8

Concrete tight when taped" - when used with MC, MCI and MCI-A cables Model(s) 38MCQDS

Conduit bodies Model(s) C100M, C100M CG, C100M HDG, C125M, C125M CG, C125M HDG, C150M, C150M CG, C150M HDG, C200M, C200M CG, C200M HDG, C250M, C250M CG, C250M HDG, C300M, C300M CG, C300M HDG, C350M, C350M CG, C350M HDG, C400M, C400M CG, C400M HDG, C50M, C50M CG, C50M HDG, C75M, C75M CG, C75M HDG, LB100M, LB100M CG, LB100M HDG, LB125M, LB125M CG, LB125M HDG, LB150M, LB150M CG, LB150M HDG, LB200M, LB200M CG, LB200M HDG, LB250M, LB250M CG, LB250M HDG, LB300M, LB300M CG, LB300M HDG, LB350M, LB350M CG, LB350M HDG, LB400M, LB400M CG, LB400M HDG, LB50M, LB50M CG, LB50M HDG, LB75M, LB75M CG, LB75M HDG, LL100M, LL100M CG, LL100M HDG, LL125M, LL125M CG, LL125M HDG, LL150M, LL150M CG, LL150M HDG, LL200M, LL200M CG, LL200M HDG, LL250M, LL250M CG, LL250M HDG, LL300M, LL300M CG, LL300M HDG, LL350M, LL350M CG, LL350M HDG, LL400M, LL400M CG, LL400M HDG, LL50M, LL50M CG, LL50M HDG, LL75M, LL75M CG, LL75M HDG, LR100M, LR100M CG, LR100M HDG, LR125M, LR125M CG, LR125M HDG, LR150M, LR150M CG, LR150M HDG, LR200M, LR200M CG, LR200M HDG, LR250M, LR250M CG, LR250M HDG, LR300M, LR300M CG, LR300M HDG, LR350M, LR350M CG, LR350M HDG, LR400M, LR400M CG, LR400M HDG, LR50M, LR50M CG, LR50M HDG, LR75M, LR75M CG, LR75M HDG, T100M, T100M CG, T100M HDG, T125M, T125M CG, T125M HDG, T150M, T150M CG, T150M HDG, T200M, T200M CG, T200M HDG, T250M, T250M CG, T250M HDG, T300M, T300M CG, T300M HDG, T350M, T350M CG, T350M HDG, T400M,

T400M CG, T400M HDG, T50M, T50M CG, T50M HDG, T75M, T75M CG, T75M HDG, TB100M, TB100M CG, TB100M HDG, TB125M, TB125M CG, TB125M HDG, TB15, TB150M, TB150M CG, TB150M HDG, TB200M, TB200M CG, TB200M HDG, TB25, TB35, TB45, TB50M, TB50M CG, TB50M HDG, TB55, TB65, TB75M, TB75M CG, TB75M HDG, X100M, X100M CG, X100M HDG, X125M, X125M CG, X125M HDG, X15, X150M, X150M CG, X150M HDG, X200M, X200M CG, X200M HDG, X25, X35, X45, X50M, X50M CG, X50M HDG, X55, X65, X75M, X75M CG, X75M HDG

Conduit body assemblies Model(s) C15ICG, C25ICG, C35ICG, LB15ICG, LB25ICG, LB35ICG, LL15ICG, LL25ICG, LL35ICG, LR15ICG, LR25ICG, LR35ICG, T15ICG, T25ICG, T35ICG, TB15ICG, TB25ICG, TB35ICG, X15ICG, X25ICG, X35ICG

Conduit boxes, die-cast aluminum, these boxes are provided with threaded hubs for use with rigid metallic conduit Model(s) C-59, C-69, LB-59, LB-69, LL-59, LL-69, LR-59, LR-69

Conduit boxes, sand-cast aluminum, these boxes are provided with threaded hubs for use with rigid metallic conduit Model(s) C-1089, C-789, C-889, LB-1089, LB-789, LB-889, LL-1089, LL-789, LL-889, LR-1089, LR-789, LR-889

Conduit boxes, sand-cast or die-cast aluminum these boxes are provided with threaded hubs for use with rigid metallic conduit Model(s) C-19, C-29, C-39, C-49, LB-19, LB-29, LB-39, LB-49, LL-19, LL-29, LL-39, LL-49, LR-19, LR-29, LR-39, LR-49

Conduit bushings Model(s) H1037DC, H1039DC, H1040DC

Conduit couplings Model(s) TCC1, TCC10, TCC12, TCC14, TCC2, TCC3, TCC4, TCC5, TCC6, TCC7, TCC8, TCC9

Conduit Hubs Model(s) HUB-100M(\$), HUB-125M(\$), HUB-150M(\$), HUB-200M(\$), HUB-250M(\$), HUB-300M(\$), HUB-350M(\$), HUB-400M(\$), HUB-50M(\$), HUB-75M(\$)

Conduit hubs Model(s) MHUB, MHUB1, MHUB10, MHUB11, MHUB12, MHUB2, MHUB3, MHUB5, MHUB6, MHUB7, MHUB8, MHUB9

Conduit hubs for use with threaded rigid conduit Model(s) MHUB1 HDG, MHUB10 HDG, MHUB11 HDG, MHUB12 HDG, MHUB2 HDG, MHUB3 HDG, MHUB4 HDG, MHUB5 HDG, MHUB6 HDG, MHUB7 HDG, MHUB8 HDG, MHUB9 HDG

Conduit locknuts Model(s) 11X, 12X, 13X, 14X, 15X, 16X, 18X, 20X

Conduit locknuts with bushings Model(s) BLK100, BLK50, BLK75

Conduit nipples Model(s) 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59

Connectors Model(s) 1708, 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1721, 1722, 1736, 1738, 1739, 1740, 1741, 1742, 1744, 1745, 1746, 1747, 702V, 708, 709, 710, 711, 712, 713, 714, 715, 721, 722, 736, 737, 738, 739, 740, 741, 742, 744, 745, 746, 747, ACB125, ACB150, ACB200, ACB250, ACB300, ACB350, ACB400

Connectors for EMT, steel, IMC, rigid steel conduits Model(s) 1456, 1457, 1458, 1459, 456, 457, 458, 459

Connectors for Liquid-Tight Flexible Nonmetallic Type B Conduit Model(s) LT10090NM, LT10090NMBL, LT100NM, LT100NMBL, LT5090NMBL, LT50NM, LT50NMBL, LT7590NM, LT7590NMBL, LT75NM, LT75NMBL

Connectors, concrete-tight when taped Model(s) 1456DC, 1457DC, 1458DC, 1459DC, 456DC, 457DC, 458DC, 459DC

Connectors, flexible conduit Model(s) 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1721, 1722, 702DC, 703DC, 709, 710, 711, 712, 713, 714, 715, 721, 722, 735, 736, 739, 740, 741, 742, 744, 745, 746, 747, ACMF38

Connectors, flexible metal conduit Model(s) 1170DC, 1171DC, 1172DC, 1173DC, 1174DC, 1175DC, 1176DC, 1707DC, 1708DC, 1709DC, 1710DC, 1711DC, 1712DC, 1713, 1713DC, 1714DC, 1715DC, 1721DC, 1722DC, 1770DC, 1771DC, 1772DC, 1773DC, 1774DC, 1775DC, 1776DC, 707DC, 708DC, 709DC, 710DC, 711DC, 712DC, 713DC, 714DC, 715DC, 721DC, 722DC, 772DC, FECC100DC, FECC50DC, FECC75DC

Connectors, flexible metal conduit, 90 degree angled Model(s) 1724DC, 1736DC, 1738DC, 1739DC, 1740DC, 1741DC, 1742DC, 1744DC, 1745DC, 1746DC, 1747DC, 724DC, 736DC, 738DC, 739DC, 740DC, 741DC, 742DC, 744DC, 745DC, 746DC, 747DC

Connectors, flexible metal conduit, squeeze connect Model(s) 1708, 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1721, 1722, 708, 709, 710, 711, 712, 713, 714, 715, 721, 722

Connectors, flexible metal conduit, squeeze connect, 90 degree angle Model(s) 1739, 1740, 1741, 1742, 1744, 1745, 1746, 1747, 739, 740, 741, 742, 744, 745, 746, 747

Connectors, flexible steel conduit Model(s) 1708, 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1721, 1722, 1737, 1738, 1739, 1740, 1741, 1742, 1744, 1745, 1746, 1747, 707, 708, 709, 710, 711, 712, 713, 714, 715, 721, 722, 737, 738, 739, 740, 741, 742, 744, 745, 746, 747

Connectors, flexible steel conduit, MCI and AC cables Model(s) ACB125

Connectors, flexible steel conduit, MCI cables Model(s) ACB150, ACB200, ACB250, ACB300

Connectors, for liquid-tight flexible metal conduits, type 2 Model(s) LT100 US, LT125 US, LT12545 US, LT12590 US, LT150 US, LT15045 US, LT15090 US, LT20045 US, LT20090 US, LT25045 US, LT25090 US, LT30045 US, LT30090 US, LT35045 US, LT35090 US, LT40045 US, LT40090US, LT50 US, LT75 US, LTK100, LTK125, LTK150, LTK200, LTK38, LTK50, LTK75

Connectors, for rigid metal conduits Model(s) CPR15US, CPR16US, CPR5US, CPR6US

Connectors, for rigid metal or IMC conduits, for use in liquid-tight applications Model(s) CPR11US, CPR12US, CPR13US, CPR14US, CPR1US, CPR2US, CPR3US, CPR4US

Connectors, for use with armored clad cable, metal clad cable and non-metallic sheath cables Model(s) ACB38DC

Connectors, insulated connectors, for use in liquid-tight applications Model(s) SSR11, SSR12, SSR13, SSR14, SSR15, SSR16, SSR17, SSR18, SSR19, SSR20

Connectors, insulated, for rigid and intermediate metal conduits Model(s) 150S, 151, 151P, 152, 152P, 153, 153P, 154, 154P, 155, 155P, 156, 156P, 157, 157P, 158, 158P, 159, 159P

Connectors, liquid tight 90° angle compression Model(s) ELT-10090, ELT-12590, ELT-15090, ELT-20090, ELT-3890, ELT-5090, ELT-7590

Connectors, liquid tight flexible metal conduit Model(s) SRLT100-100, SRLT100-10045, SRLT100-10090, SRLT125-125, SRLT125-12545, SRLT125-12590, SRLT150-150, SRLT150-15045, SRLT150-15090, SRLT200-200, SRLT200-20045, SRLT200-20090, SRLT250-250, SRLT300-300, SRLT38-50, SRLT38-5090, SRLT400-400, SRLT50-50, SRLT50-5045, SRLT50-5090, SRLT75-75, SRLT75-7545, SRLT75-7590

Connectors, liquid tight straight compression Model(s) ELT-100, ELT-125, ELT-150, ELT-200, ELT-38S, ELT-50, ELT-75

Connectors, liquid-tight flexible metal conduit Model(s) LT-100, LT-100-SA, LT-10045, LT-10045-SA, LT-10090, LT-10090-SA, LT-125, LT-125-SA, LT-12545, LT-12545-SA, LT-12590, LT-12590-SA, LT-150, LT-150-SA, LT-15045, LT-15045-SA, LT-15090, LT-15090-SA, LT-200, LT-200-SA, LT-20045, LT-20045-SA, LT-20090, LT-20090-SA, LT-250, LT-250-SA, LT-25045, LT-25045-SA, LT-25090, LT-25090-SA, LT-300, LT-300-SA, LT-30045, LT-30045-SA, LT-30090, LT-30090-SA, LT-350, LT-350-SA, LT-35045, LT-35045-SA, LT-35090, LT-35090-SA, LT-38, LT-38-SA, LT-3845, LT-3845-SA, LT-3890, LT-3890-SA, LT-400, LT-400-SA, LT-40045, LT-40045-SA, LT-40090, LT-40090-SA, LT-50, LT-50-SA, LT-5045, LT-5045-SA, LT-5090, LT-5090-SA, LT-75, LT-75-SA, LT-7545, LT-7545-SA, LT-7590, LT-7590-SA, LTB-100, LTB-100-SA, LTB-10045, LTB-10045-SA, LTB-10090, LTB-10090-SA, LTB-125, LTB-125-SA, LTB-12545, LTB-12545-SA, LTB-12590, LTB-12590-SA, LTB-150, LTB-150-SA, LTB-15045, LTB-15045-SA, LTB-15090, LTB-15090-SA, LTB-200, LTB-200-SA, LTB-20045, LTB-20045-SA, LTB-20090, LTB-20090-SA, LTB-250, LTB-250-SA, LTB-25045, LTB-25045-SA, LTB-25090, LTB-25090-SA, LTB-300, LTB-300-SA, LTB-30045, LTB-30045-SA, LTB-30090, LTB-30090-SA, LTB-350, LTB-350-SA, LTB-35045, LTB-35045-SA, LTB-35090, LTB-35090-SA, LTB-38, LTB-38-SA, LTB-3845, LTB-3845-SA, LTB-3890, LTB-3890-SA, LTB-400, LTB-400-SA, LTB-40045, LTB-40045-SA, LTB-40090, LTB-40090-SA, LTB-50, LTB-50-SA, LTB-5045, LTB-5045-SA, LTB-5090, LTB-5090-SA, LTB-75, LTB-75-SA, LTB-7545, LTB-7545-SA, LTB-7590, LTB-7590-SA, LTB40090DC, LTBM-100, LTBM-100-SA, LTBM-10045, LTBM-10045-SA, LTBM-10090, LTBM-10090-SA, LTBM-35451-SA, LTBM-35452-SA, LTBM-381, LTBM-381-SA, LTBM-382, LTBM-382-SA, LTBM-38451, LTBM-38452, LTBM-38901, LTBM-38901-SA, LTBM-38902, LTBM-38902-SA, LTBM-50, LTBM-50-SA, LTBM-5045, LTBM-5045-SA, LTBM-5090, LTBM-5090-SA, LTBM-75, LTBM-75-SA, LTBM-7545, LTBM-7590

Connectors, liquid-tight flexible non-metallic conduits Model(s) LT10090DC, LT100DC, LT12590DC, LT125DC, LT15090DC, LT150DC, LT20090DC, LT200DC, LT250DC, LT300DC, LT400DC, LT5090DC, LT50DC, LT7590DC, LT75DC, LTB100DC, LTB125DC, LTB200DC, LTB75DC

Connectors, non-insulated, for rigid and intermediate metal conduits, concrete-tight only Model(s) 150, 150P, 151, 151P, 152, 152P, 153, 153P, 154, 154P, 155, 155P, 156, 156P, 157, 157P, 158, 158P, 159, 159P, CPR1, CPR10, CPR11, CPR12, CPR13, CPR14, CPR15, CPR16, CPR17, CPR18, CPR19, CPR2, CPR20, CPR3, CPR4, CPR5, CPR6, CPR7, CPR8, CPR9

Connectors, rigid conduits, concrete-tight when taped Model(s) 160I, 160P, 161I, 161P

Connectors, rigid conduits, for use in liquid-tight applications Model(s) SSR1, SSR10, SSR2, SSR3, SSR4, SSR5, SSR6, SSR7, SSR8, SSR9

Connectors, swivel type for use in liquid-tight applications Model(s) LTSW50, LTSWB50

Couplings Model(s) 190US, 191US, 192US, 193US, 194US, 195US

Couplings for EMT, steel IMC, rigid steel conduits Model(s) 466, 467, 468, 469

Couplings, concrete-tight when taped Model(s) 460DC, 461DC, 462DC, 463DC, 466DC, 467DC, 468DC, 469DC

Couplings, flexible steel conduit to rigid or intermediate Model(s) 65, 66, 67, 68

Couplings, for rigid metal conduit or IMC to IMC Model(s) CPR25US

Couplings, for rigid metal conduit or IMC to IMC, for use in liquid-tight applications Model(s) CPR21US, CPR22US, CPR23US, CPR24US

Couplings, for rigid metal conduits Model(s) CPR26US

Couplings, rigid to electrical metallic tubing Model(s) 690S

Couplings, rigid to electrical metallic tubing, concrete-tight when taped, for use with ferrous or aluminum rigid conduit Model(s) 420, 421, 422

Couplings, rigid to electrical metallic tubing, for use in concrete-tight application when used with electrical metallic tubing and rigid conduit only Model(s) 691, 692

Couplings, rigid to rigid conduit, for use in liquid-tight applications Model(s) SSR21, SSR22, SSR23, SSR24, SSR25, SSR26, SSR27, SSR28, SSR30

Couplings, rigid to rigid, concrete-tight when taped Model(s) 170C, 171C

Couplings, rigid to rigid, intermediate to intermediate and rigid to intermediate Model(s) 160, 161, 162, 163, 164, 165, 166, 167, 168, 169

Couplings, rigid to rigid, intermediate to intermediate and rigid to intermediate, concrete-tight only Model(s) CPR21, CPR22, CPR23, CPR24, CPR25, CPR26, CPR27, CPR28, CPR29, CPR30

Couplings, three piece conduit Model(s) 188, 189, 190M, 191, 192, 193, 194, 195, 196, 197, 198, 199

Covers Model(s) 170 (a), 170FG, 170FSG, 170FSGSA, 170SG, 170SGSA, 180 (c), 190G (c), 270 (a), 270FG, 270FSG, 270FSGSA, 270SG, 270SGSA, 280 (c), 290G (c), 370 (a), 370FG, 370FSG, 370FSGSA, 370SG, 370SGSA, 380 (c), 390G (c), 470 (a), 470FG, 470FSG, 470FSGSA, 470SG, 470SGSA, 480 (c), 490G (c), 570 (a), 570FG, 570FSG, 570SG, 570SGSA, 580 (c), 590G (c), 670 (a), 670FG, 670FSG, 670FSGSA, 670SG, 670SGSA, 680 (c), 690G (c), 870 (a), 880 (c), 970 (a), 980 (c)

Covers for conduit bodies Model(s) 150G, 250G, 350G, 450G, 650G, 850G, 950G, K100CM, K100CM HDG, K100SG, K125CM, K125CM HDG, K125SG, K150CM HDG, K200CM, K200CM HDG, K200SG, K250CM, K250CM HDG, K250SG, K300CM HDG, K350CM, K350CM HDG, K350SG, K400CM HDG, K50CM, K50CM HDG, K50SG, K75CM, K75CM HDG, K75SG

Covers for conduit fittings Model(s) K100S, K125S, K200S, K250S, K350S, K50S, K75S

Elbows Model(s) 8100EB DC, 8100EE DC, 8100RB DC, 8100RR DC, 8125EB DC, 8125EE DC, 8125RB DC, 8125RR DC, 850EB DC, 850EE DC, 850RB DC, 850RR DC, 875EB DC, 875EE DC, 875RB DC, 875RR DC, ESL 100, ESL 75

Fitting locknuts Model(s) 11DC, 12DC, 13DC, 14DC, 15DC, 16DC, 17DC, 18DC, 19DC, 20DC

Flexible metal conduit fittings Model(s) 1738, 738

Flexible metal conduit, armored cable, and metal clad cable connectors Model(s) 38MCQ, 38MCQ90, 38MCQBULK, 38MCQD, 38MCQDBULK, 38MCQOW, 38MCQS, 50MCQ90, BXC-037DSI

For armored cables, metal-clad cables and flexible metal conduits Model(s) 1736, 724, 736

Form 7 conduit boxes Model(s) C-17 (b), C-27 (b), C-37 (b), C-47 (b), C-57 (b), C-67 (b), C-77 (b), C-87 (b), E-17 (b), E-27 (b), E-37 (b), L-17, L-27, L-37, L-47, L-57, L-67, LB-107 (b), LB-17 (b), LB-197 (b), LB-27 (b), LB-297 (b), LB-37 (b), LB-397 (b), LB-47 (b), LB-57 (b), LB-67 (b), LB-77(b), LB-777 (b), LB-87 (b), LB-97 (b), LL-107 (b), LL-17 (b), LL-27 (b), LL-37 (b), LL-47 (b), LL-57 (b), LL-67 (b), LL-77(b), LL-777 (b), LL-87 (b), LL-97 (b), LR-107 (b), LR-17 (b), LR-27 (b), LR-37 (b), LR-47 (b), LR-57 (b), LR-67 (b), LR-77(b), LR-777 (b), LR-87 (b), LR-97 (b), T-107 (b), T-17 (b), T-197 (b), T-217 (b), T-27 (b), T-297 (b), T-317 (b), T-327 (b), T-37 (b), T-397 (b), T-47 (b), T-57 (b), T-67 (b), T-77 (b), T-87 (b), T-97 (b), TA-17 (b), TA-27 (b), TA-37 (b), TA-47 (b), TA-57 (b), TA-67 (b), TB-107 (b), TB-17 (b), TB-27 (b), TB-37 (b), TB-47 (b), TB-57 (b), TB-67 (b), TB-87 (b), X-107 (b), X-17 (b), X-27 (b), X-37 (b), X-47 (b), X-57 (b), X-67 (b), X-87 (b)

Form 8, phenolic covers Model(s) C-108 (b), C-18 (b), C-28 (b), C-38 (b), C-48 (b), C-58 (b), C-68 (b), C-78 (b), C-88 (b), C-98 (b), E-108 (b), E-448 (b), E-58 (b), E-68 (b), E-78 (b), E-88 (b), E-98 (b), LB-108 (b), LB-18 (b), LB-28 (b), LB-38 (b), LB-448 (b), LB-58 (b), LB-68 (b), LB-78 (b), LB-888 (b), LB-98 (b), LL-108 (b), LL-18 (b), LL-28 (b), LL-38 (b), LL-448 (b), LL-58 (b), LL-68 (b), LL-78 (b), LL-888 (b), LL-98 (b), LR-108 (b), LR-18 (b), LR-28 (b), LR-38 (b), LR-448 (b), LR-58 (b), LR-68 (b), LR-78 (b), LR-888 (b), LR-98 (b), T-108 (b), T-18 (b), T-28 (b), T-38 (b), T-448 (b), T-58 (b), T-68 (b), T-78 (b), T-88 (b), T-98 (b), TA-18 (b), TA-28 (b), TA-38 (b), TB-108 (b), TB-18 (b), TB-28 (b), TB-38 (b), TB-448 (b), TB-58 (b), TB-68 (b), TB-78 (b), TB-88 (b), TB-98 (b), X-108 (b), X-18 (b), X-28 (b), X-38 (b), X-448 (b), X-58 (b), X-68 (b), X-78 (b), X-88 (b), X-98 (b)

GRAY IRON GROUP 8 CONDUIT BODY Model(s) LB108SS, LB18SS, LB28SS, LB38SS, LB48SS, LB58SS, LB68SS, LB88SS

Hubs, for use with threaded rigid conduit Model(s) HUB 1, HUB 10, HUB 2, HUB 3, HUB 4, HUB 5, HUB 6, HUB 7, HUB 8, HUB 9

Liquid tight 90° angle compression connectors Model(s) ELT-25090, ELT-30090, ELT-40090

Liquid tight straight compression connectors Model(s) ELT-250, ELT-300, ELT-400, LTB100SS, LTB125SS, LTB150SS, LTB200SS, LTB38SS, LTB50SS, LTB75SS

Liquid-tight flexible metal conduit connectors Model(s) LT100S, LT125S, LT150S, LT200S, LT38S, LT75S, LTB100S, LTB125S, LTB150S, LTB200S, LTB38S, LTB50S, LTB75S, SSLT100, SSLT38, SSLT50, SSLT75

Liquid-tight flexible nonmetallic conduit connectors Model(s) LT10090NMBL, LT100NMBL, LT12590NM, LT12590NMBL, LT125NM, LT125NMBL, LT15090NM, LT15090NMBL, LT150NM, LT150NMBL, LT20090NM, LT20090NMBL, LT200NM, LT200NMBL, LT3890NM, LT3890NMBL, LT38NM, LT38NMBL, LT5090NMBL, LT5090NMSCR, LT50NMBL, LT50NMSCR, LT50S, LT7590NMBL, LT7590NMSCR, LT75NMBL, LT75NMSCR

Liquid-tight flexible nonmetallic conduit couplings Model(s) LTCPL50NM, LTCPL75NM

Liquid-tight locknuts Model(s) SL-1, SL-10, SL-11, SL-12, SL-2, SL-3, SL-4, SL-5, SL-6, SL-7, SL-8, SL-9

Locknuts Model(s) 10, 11, 11SA, 11USA, trade size 1/2 in., 12, 12SA, 12USA, trade size 3/4 in., 13, 13SA, 13USA, trade size 1 in., 14, 14SA, 14USA, trade size 1-1/4 in., 15, 15SA, 15USA, trade size 1-1/2 in., 16, 16SA, 16USA, trade size 2 in., 17, 17SA, 18, 18SA, 19, 19SA, 20, 20SA, 22, 23

Metallic reducing bushings Model(s) CR-21, CR-31, CR-32, CR-41, CR-42, CR-43, CR-51, CR-52, CR-53, CR-54, CR-61, CR-62, CR-63, CR-64, CR-65

Nipples Model(s) 1050, 1050DC, 1051, 1051DC, 1052, 1052DC, 1053, 1053DC, 1054, 1054DC, 1055, 1055DC, 1056, 1056DC, 1057, 1057DC, 1058, 1058DC, 1059, 1059DC, 50, 51, 51D, 52, 52D, 53, 54, 55, 56, 57, 58, 59, 60, 61

Non-metallic liquid tight multi angles Model(s) LT50U90NM, LT75U90NM

Off-set conduit nipples Model(s) 300, 301, 302, 303

Off-set nipples Model(s) 300DC, 301DC, 302DC, 303DC, 304DC, 305DC, 306DC, 307DC, ON300 DC, ON50 DC, ON75 DC

Phenolic covers Model(s) 1770, 2770, 3770, 4770, 5770, 6770

Reducer bushings Model(s) 251, 252, 253, 254, 255, 260, 261, 262, 263, 268, 269, 270, 275, 276, 281

Reducing bushings Model(s) 251, 251, 252, 252, 253, 253, 254, 254, 255, 260, 260, 261, 261, 262, 262, 263, 268, 268, 269, 269, 270, 270S, 275, 275, 276, 276, 281, 282, 283, 285, 287, 288, 288, 289, 290M, 291, 292, 293, 294, 295, 296, 297, 298, 299

Rigid conduit couplings Model(s) 188, 189, 190M, 190M HDG, 191, 191 HDG, 192, 192 HDG, 193, 193 HDG, 194, 194 HDG, 195, 195 HDG, 196, 196 HDG, 197, 197 HDG, 198, 198 HDG, 199, 199 HDG, CPR21, CPR22, CPR23, CPR24, CPR25, CPR26, CPR27, CPR28, CPR29, CPR30

Screw in connectors Model(s) 770DC, 771DC, 772DC, 773DC, 774DC, 775DC, 776DC

Set screw conduit bushings Model(s) HS1031, HS1032, HS1033, HS1034, HS1035, HS1036, HS1037, HS1038, HS1039, HS1040, HS1041, HS1042, S1031, S1032, S1033, S1034, S1035, S1036, S1037, S1038, S1039, S1040, S1041, S1042

Set screw connectors Model(s) 459

Set screw couplings Model(s) 466, 467, 468, 469

Set-screw combination couplings Model(s) 420, 421, 422

Set-screw connectors Model(s) 150, 150P, 151, 151P, 152, 152P, 153, 153P, 154, 154P, 155, 155P, 160I, 160P, 161I, 161P

Set-screw connectors with insulator, concrete-tight when taped Model(s) 1456BLACK, 1456BLUE, 1456RED, 1456WHITE, 1457BLACK, 1457BLUE, 1457RED, 1457WHITE, 1458BLACK, 1458BLUE, 1458RED, 1458WHITE, 1459BLACK, 1459BLUE, 1459RED, 1459WHITE

Set-screw connectors with insulators Model(s) 160, 161, 162, 163, 164, 165, 170C, 171C

Set-screw connectors, concrete-tight when taped Model(s) 1456GREEN, 1456ORANGE, 1456YELLOW, 1457GREEN, 1457ORANGE, 1457YELLOW, 1458GREEN, 1458ORANGE, 1458YELLOW, 1459GREEN, 1459ORANGE, 1459YELLOW, 456BLACK, 456BLUE, 456GREEN, 456ORANGE, 456RED, 456WHITE, 456YELLOW, 457BLACK, 457BLUE, 457GREEN, 457ORANGE, 457RED, 457WHITE, 457YELLOW, 458BLACK, 458BLUE, 458GREEN, 458ORANGE, 458RED, 458WHITE, 458YELLOW, 459BLACK, 459BLUE, 459GREEN, 459ORANGE, 459RED, 459WHITE, 459YELLOW, 466GREEN, 466ORANGE, 466YELLOW, 467GREEN, 467ORANGE, 467YELLOW, 468GREEN, 468ORANGE, 468YELLOW, 469GREEN, 469ORANGE, 469YELLOW

Set-screw couplings, concrete-tight when taped Model(s) 466BLACK, 466BLUE, 466RED, 466WHITE, 467BLACK, 467BLUE, 467RED, 467WHITE, 468BLACK, 468BLUE, 468RED, 468WHITE, 469BLACK, 469BLUE, 469RED, 469WHITE

Short radius conduit bodies Model(s) 810, 811, 812, 813, 814, 815, 820, 821, 822, 823, 824, 825

Split couplings Model(s) TCC1, TCC10, TCC12, TCC14, TCC2, TCC3, TCC4, TCC5, TCC6, TCC7, TCC8, TCC9

Steel compression connectors, concrete-tight applications Model(s) 1656, 1656RT, 1657, 1657RT, 1658, 1658RT, 1659, 1659RT, 656, 656RT, 657, 657RT, 658, 658RT, 659, 659RT

Steel compression coupling, concrete-tight application Model(s) 666, 666RT, 667, 667RT, 668, 668RT, 669, 669RT

Steel set screw connectors, concrete-tight when taped Model(s) 1456, 1457, 1458, 1459, 456, 457, 458

Straight liquid tight connectors Model(s) LT100DC, LT125DC, LT150DC, LT200DC, LT250DC, LT300DC, LT350DC, LT38DC, LT400DC, LT50DC, LT75DC

Straight liquid-tight connectors with insulators Model(s) LTB100DC, LTB125DC, LTB150DC, LTB200DC, LTB250DC, LTB300DC, LTB350DC, LTB38DC, LTB400DC, LTB50DC, LTB75DC

Threaded conduit bushings Model(s) 1031, 1031NI, 1032, 1032NI, 1033, 1033NI, 1034, 1034NI, 1035, 1035NI, 1036, 1036NI, 1037, 1037NI, 1038, 1038NI, 1039, 1039NI, 1040, 1040NI, 1041, 1041NI, 1042, 1042NI, H1031, H1032, H1033, H1034, H1035, H1036, H1037, H1038, H1039, H1040, H1041, H1042

Three Piece Conduit Couplings Model(s) 188 HDG, 189 HDG, 190M HDG, 190SA, 191 HDG, 191SA, 192 HDG, 192SA, 193 HDG, 193SA, 194 HDG, 194SA, 195 HDG, 195SA, 196 HDG, 196SA, 197 HDG, 197SA, 198 HDG, 198SA, 199 HDG, 199SA

Water tight hubs Model(s) CHB1, CHB10, CHB2, CHB3, CHB4, CHB5, CHB6, CHB7, CHB8, CHB9, CHG1, CHG10, CHG2, CHG3, CHG4, CHG5, CHG6, CHG7, CHG8, CHG9

Zinc die cast screw in couplings Model(s) 791DC, 792DC, 793DC, 794DC, 795DC, 796DC

\$ - All models, optional finished in Hot Dip Galvanized, with suffix -HDG

(b) - May be followed by Suffixes SA, SBZ, BR, MT or 6 digit alpha-numerics suffix designating customer.

NOTE - Suffix "LT" represents suitable for Wet location applications.

[Click here to view the Colombia Market Access Certification](#)

Last Updated on 2020-04-07

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"