

# MATERIAL SAFETY DATA SHEET

**Revised date:** 11/11/2017

## 1. PRODUCT NAME AND IDENTIFICATION

**Product Name:** JCP 207 DEWATER PLUS

Chemical Name & Synonyms: N/A

**CAS Number**: N/A, Mixture

 Company Name:
 JCP GROUP(THAILAND) CO., LTD.

 Tel & Fax.: +(66)34-412-824
 Emergency: +(66)85-105-6034

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	% by Wt.	OSHA TWA	ACGIH-TWA
			(ppm)	(ppm)
ALIPHATIC PETROLEUM	8032-32-4	0-80%	N/A	N/A
DISTILLATE				
1,1,1 TRICHLOROETHANE	71-55-6	0-40 %	N/A	N/A
ORGANIC BARIUM SALTS	N/E	0-40 %	N/A	N/A
1,3 DIOXOLANE	646-06-0	0-20 %	N/A	N/A

## 3. HAZARDS IDENTIFICATION

Emergency overview: Can cause irritation or damage to eyes and skin. Harmful if swallowed.

**Routes of Exposure**: Inhalation: [✓] Ingestion: [✓] Absorption: [✓]

**Eyes**: Causes eye irritation. **Skin**: May cause skin irritation.

Inhalation: Prolonged skin contact may defat the skin and produce dermatitis. Harmful if inhaled and may cause delayed

lung injury.

Ingestion: Ingestion may cause irritation to mucous membranes. Causes headache, drowsiness or other effects to the

central nervous system. Aspiration hazard if swallowed - can enter lungs and cause damage.

Carcinogenicity: Contains no listed carcinogens.

#### 4. FIRST AID MEASURES

**General Advice**: Avoid contact with skin, eyes and clothing. Show this safety data sheet to the doctor in attendance.

**Eye Contact**: Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin Contact: Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

**Inhalation**: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Ingestion:** Drink 1 or 2 glasses of water. Do not induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

Notes to Physician: Aspiration hazard if swallowed - can enter lungs and cause damage.

## 5. FIRE FIGHTING MEASURES



Flash Point >172 °F Method N/A

**Autoignition Temperature N/A** 

Flammability Limits in Air Mixture Upper 7.0 Lower 0.7

Suitable Extinguishing Media Water spray. Foam. Dry chemical. Carbon dioxide (CO2).

Specific Hazards Arising from the Chemical Solvent vapors are heavier than air and may spread along floors.

Vapors may ignite and explode. Material can create slippery conditions. Keep product and empty

container away from heat and sources of ignition. Risk of ignition.

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3 Flammability 3 Instability 0
HMIS Health 3 Flammability 3 Instability 0

## 6. ACCIDENTAL RELEASE (SPILL MEASURES)

**Personal Precautions**Use personal protective equipment. Remove all sources of ignition. Ensure adequate

ventilation. Prevent further leakage or spillage if safe to do so.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment** Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to

local / national regulations (see section 13)

**Methods for Cleaning Up** Pick up and transfer to properly labelled containers. Never return spills in original

containers for re-use.

Neutralizing Agent Not applicable

## 7. HANDLING AND STORAGE

Handling Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with

skin, eyes and clothing. Avoid breathing vapors, mist or gas.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from heat

and sources of ignition. Keep in properly labelled containers.

Storage Temperature Minimum 35°F / 2°C Maximum 120°F / 49°C

Storage Conditions Indoor X Outdoor Heated Refrigerated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Measures**Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined

areas.

**Personal Protective Equipment** 

**Eye/Face Protection** Safety glasses with side-shields.

**Skin Protection** For prolonged or repeated contact use protective gloves. **Respiratory Protection** In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation

location. Remove and wash contaminated clothing before re-use.



Physical State Liquid Viscosity Non viscous
Color Amber Odor Chlorinated solvent

AppearanceTransparentpHN/ASpecific Gravity0.925Bulk DensityN/A

Evaporation RateN/APercent Volatile (Volume) 91VOC Content (%)N/AVapor Pressure 35 mmHgVapor Density4.5SolubilityNeglegible

Boiling Point/Range LBP 105 °F

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

## 10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to AvoidHeat, flames, and sparks.Incompatible ProductsStrong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

Possibility of Hazardous Reactions None under normal processing

## 11. TOXICOLOGICAL INFORMATION

## **ALIPHATIC PETROLEUM DISTILLATE**

EYE-HMN 880 ppm/15 m 3. UNK-HMN TCLO: 1470 mg/kg 3. IPR-RAT LDLO: 8560 mg/kg 3.

#### 1,1,1-TRICHLOROETHANE

ORL-HMN TDLO: 670 mg/kg TFX:CN 3. IHL-HMN TCLO: 920 ppm/mg TFX:CSN 3.

ORL-RAT LD50: 10,300 mg/kg 3.

#### 1-2 DIOXALANE

ORL RAT LD50 3000 mg/kg 3. SKN RBT LD50 8400 mg/kg 3.

## 12. ECOLOGICAL INFORMATION

N/A

#### **Persist**

# 13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of as hazardous waste in compliance with local and national regulations

Container Disposal Empty containers should be taken for local recycling, recovery or waste disposal

## 14. TRANSPORT INFORMATION

Transport over land ADR/RID and GGVS/GGVE



GGVS/GGVE Class 6.1 Number and Letter 15c ADR/RID Class 6.1 Number and Letter 15c

Name of material: 1593 DICHLOROMETHANE

River transport AND/ADNR

Not examine

Sea transport IMDG

IMDG Class 6.1 UN-No. 1593 Package group III

EMS 6.1 - 02 MFAG 340

Correct technical name DICHLOROMETHANE

Air transport ICAO-TI and IATA-DGR

ICAO/IATA class 6.1 UN/IO-No. 1593 Package group III

Correct technical name DICHLOROMETHANE

The transport regulations are cited according to international regulations and in the form applicable in Germany (GGV/GGVE). Possible national deviations in other countries are not considered.

## 15. REGULATORY INFORMATION

# Labelling according to EC Directives

Symbol: Xn Harmful immediately and show this container or label

R-phases R 40 Possible risk of irreversible effects

S-phass S 23.2 – 24/25 – 36/37 Do not breath vapor. Avoid contact with skin and eyes. Wear suitable

Protective.

EC -No. 200-838-9 EC Label

## **16. OTHER INFORMATION**

The above information is based on data available to us and is believed to be correct. However, no warranty, merchantability, fitness for any use or any other warranty is expressed or to be implied regarding the accuracy of these data, the result to be obtained from the use thereof, the hazards connected with the use of the material, or that any such use will not infringe any patent. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility resulting from its use. This information is furnished upon the condition that the person receiving it shall make his own determination for the suitability of the material for his particular purposes.