1. PRODUCT NAME AND IDENTIFICATION

Product Name:	JCP 702 CSC GREASE YELLOW
Chemical Name & Synonyms:	N/A
CAS Number:	N/A, Mixture
Company Name:	JCP GROUP(THAILAND) CO., LTD.
Tel & Fax.: +(66)34-410-824	Emergency: +(66)85-105-6034

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	% by Wt.
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	64742-65-0	40-70
Calcium carbonate	1317-65-3	10-30
C10-C16 alkybenzenesulfonic acid calcium salt	68584-23-6	10-30
Calcium-12-Hydroxystearate	3159-62-4	1-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5	1-5
Tricalcium phosphate	1306-06-5	1-5
Hexylene glycol	107-41-5	1-5
Polyalphaolefin	68037-01-4	1-5

3. HAZARDS IDENTIFICATION

Emergency overview: Can cause irritation or damage to eyes and skin. Harmful if swallowed.

Routes of Exposure: Inhalation: $[\checkmark]$ Ingestion: $[\checkmark]$

Absorption: [1]

Eyes: Causes eye irritation.

Skin: May cause skin irritation.

Inhalation: Prolonged skin contact may defat the skin and produce dermatitis. Harmful if inhaled and may cause delayed lung injury.

Ingestion: Ingestion may cause irritation to mucous membranes. Causes headache, drowsiness or other effects to the central nervous system. Aspiration hazard if swallowed - can enter lungs and cause damage.

Carcinogenicity: Contains no listed carcinogens.

4. FIRST AID MEASURES

General Advice: Avoid contact with skin, eyes and clothing. Show this safety data sheet to the doctor in attendance. **Eye Contact**: Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin Contact: Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. **Inhalation:** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion: Drink 1 or 2 glasses of water. Do not induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

Notes to Physician: May cause sensitization of susceptible persons..



5. FIRE FIGHTING MEASURES

Flash Point490°F / 254°CAutoignition Temperature N/A

Flammability Limits in Air Mixture

Lower N/A

open cup

Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Method

Upper N/A

Specific Hazards Arising from the Chemical Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 2	Flammability 1	Instability 0
HMIS	Health 2	Flammability 1	Instability 0

6. ACCIDENTAL RELEASE (SPILL MEASURES)

Personal Precautions	Use personal protective equipment. Prevent further leakage or spillage if safe to do so.
	Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13)
Methods for Cleaning Up	Pick up and transfer to properly labelled containers. Never return spills in original containers for re-use.
Neutralizing Agent	Not applicable

7. HANDLING AND STORAGE

Handling	Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with						
	skin, eyes and	clothing. Avoid b	reathing vapors	, mist or gas.			
Storage	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat						
	and sources of ignition. Keep in properly labelled containers.						
Storage Temperature	Minimum 0°F	/-18°C	Maximum 12	0°F / 49°C			
Storage Conditions	Indoor X	Outdoor X	Heated X	Refrigerated X			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, solvent dewaxed heavy	TWA: 5 mg/m3	TWA: 5 mg/m3	N/A
paraffinic (<3% DMSO extractable)	STEL: 10 mg/m3		
Calcium carbonate		TWA: 15 mg/m3	TWA: 10 mg/m3
		TWA: 5 mg/m3	TWA: 5 mg/m3
C10-C16 alkybenzenesulfonic acid calcium salt	N/A	N/A	N/A
Calcium-12-Hydroxystearate	N/A	N/A	N/A
Styrene-Ethylene/Propylene Block Copolymer	N/A	N/A	N/A
Tricalcium phosphate	N/A	N/A	N/A
Hexylene glycol	Ceiling: 25 ppm	N/A	Ceiling: 25 ppm
			Ceiling: 125 mg/m3

SDS of JCP 702 Page 2/5



Polyalphaolefin		N/A	N/A	N/A
Engineering Measures		sonably practic	able this should be achie	ilation, especially in confined eved by the use of local
Personal Protective Equipr	nent			
Eye/Face Protection	Tightly fitting safe	ety goggles.		
Skin Protection	Wear suitable pro	otective clothing	, Impervious gloves.	
Respiratory Protection	In case of insuffic	cient ventilation	wear suitable respirator	y equipment. When workers
	are facing concer respirators	ntrations above	the exposure limit they r	nust use appropriate certified
General Hygiene Consider	•		and safety showers are aminated clothing before	

9. PHYSICAL AND CHEMICAL PROPERTIES (Typical)

Physical State	Semi-Solid	Viscosity	Gel
Color	Honey	Odor	Petroleum-like
Appearance	Opaque	рН	Not applicable
Specific Gravity	1.01	Bulk Density	Not applicable
Evaporation Rate	0 (Butyl acetate=1)	Percent Volat	ile (Volume) 2.6
VOC Content (%)	2.2	Vapor Pressu	re <0.1 mmHg @ 70 °F
Vapor Density	5.1	Solubility	Negligible

Boiling Point/Range 610°F / 321°C

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	Heat, flames, and sparks.
Incompatible Products	Strong oxidizing agents. Strong acid and base.
Hazardous Decomposition Products	Carbon oxides. Nitrogen oxides (NOx), Oxides of phosphorus, Sulfur
	oxides.
Possibility of Hazardous Reactions	None under normal processing

11. TOXICOLOGICAL INFORMATION

Component Information Petroleum distillates, hydrotreated light

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	N/A	N/A	N/A	N/A	N/A
Calcium carbonate	6450 mg/kg (Rat)	N/A	N/A	N/A	N/A
C10-C16 alkybenzenesulfonic acid calcium salt	N/A	N/A	N/A	N/A	N/A
Calcium-12-Hydroxystearate	N/A	N/A	N/A	N/A	N/A



Styrene-Ethylene/Propylene Block	N/A	N/A	N/A	N/A	N/A
Copolymer					
Tricalcium phosphate	N/A	N/A	N/A	N/A	N/A
Hexylene glycol	3692 mg/kg (Rat)	N/A	> 310 mg/m3 (Rat) 1 h	N/A	N/A
Polyalphaolefin	N/A	N/A	N/A	N/A	N/A

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	N/A	N/A	N/A	N/A	lungs
Calcium carbonate	N/A	N/A	N/A	N/A	eyes, respiratory system, skin
C10-C16 alkybenzenesulfonic acid calcium salt	N/A	N/A	N/A	N/A	N/A
Calcium-12-Hydroxystearate	N/A	N/A	N/A	N/A	N/A
Styrene-Ethylene/Propylene Block Copolymer	N/A	N/A	N/A	N/A	N/A
Tricalcium phosphate	N/A	N/A	N/A	N/A	N/A
Hexylene glycol	N/A	Skin sensitization	N/A	N/A	eyes, CNS, respiratory system, skin, immune system
Polyalphaolefin	N/A	N/A	N/A	N/A	N/A

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

not applicable
not applicable
not applicable
not applicable
not applicable

12. ECOLOGICAL INFORMATION

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, solvent dewaxed	N/A	LC50 > 5000 mg/L	N/A	EC50> 1000 mg/L	N/A
heavy paraffinic (<3% DMSO extractable)		Oncorhynchus mykiss 96 h		48 h	
Calcium carbonate	N/A	no data available	N/A	N/A	N/A
C10-C16 alkybenzenesulfonic acid	N/A	no data available	N/A	N/A	N/A
calcium salt					
Calcium-12-Hydroxystearate	N/A	no data available	N/A	N/A	N/A
Styrene-Ethylene/Propylene Block	N/A	no data available	N/A	N/A	N/A
Copolymer					
Tricalcium phosphate	N/A	no data available	N/A	N/A	N/A
Hexylene glycol	N/A	LC50 10500 - 11000 mg/L	EC50 = 3038 mg/L 5	EC50 2700 - 3700	<0.14
		Pimephales promelas 96 h LC50 = 10000 mg/L Lepomis	min	mg/L 48h	
		macrochirus 96 h LC50 = 8690 mg/L			
		Pimephales promelas 96 h LC50 = 10700 mg/L			
		Pimephales promelas 96 h			
Polyalphaolefin	N/A	no data available	N/A	N/A	N/A

Persistence and Degradability No information available **Bioaccumulation**: No information available

Mobility: No information available

Biodegradability: Result: Not readily biodegradable.



13. DISPOSAL CONSIDERATIONS

Product Disposal	Dispose of as hazardous waste in compliance with local and national regulations
Container Disposal	Empty containers should be taken for local recycling, recovery or waste disposal

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA	Complies
DSL	Complies
U.S. Federal	Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the

reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazardous Categorization

Acute Health Hazard		Yes		
Chronic Health Hazard		No		
Fire Hazard		Yes		
Sudden Release of Pressure Hazard		No		
Reactive Hazard		No		
CERCLA				
Component	Petroleum disti	llates, hydrotreated light		
Hazardous Substances RQs	Not applicable			
CERCLA EHS RQs	Not applicable			
Canada				
This product has been classified in accordance with the hazard criter				

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class B3 Combustible liquid, D2B Toxic materials .

16. OTHER INFORMATION

The above information is based on data available to us and is believed to be correct. However, no warranty, merchantability, fitness for any use or any other warranty is expressed or to be implied regarding the accuracy of these data, the result to be obtained from the use thereof, the hazards connected with the use of the material, or that any such use will not infringe any patent. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility resulting from its use. This information is furnished upon the condition that the person receiving it shall make his own determination for the suitability of the material for his particular purposes.

