SAFETY DATA SHEET

(GHS, Appendix 4)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product name : Farnesol EC N° : 225-004-1

CAS N°: 4602-84-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial-grade aromatic raw material, not intended for retail sale

1.3. Details of the supplier of the safety data sheet

Registered company name : Aromatics Original Material Co., Ltd. Address : 3/8 1st floor Bangwaek Rd, Bangpai, Bangkae, Bangkok 10160 Thailand.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS compliant.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2A (Eye Irrit. 2A, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

This substance does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

GHS compliant.

Hazard pictograms :

GHS09	GHS07
Signal Word :	
WARNING	
Product identifiers (list	of classified components) :
CAS 4602-84-0	FARNESOL
Hazard statements :	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

H319	Causes serious eye irritation.					
H410	Yery toxic to aquatic life with long lasting effects.					
Precautionary statements - Prev	vention :					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/					
Precautionary statements - Resp	ponse :					
P302 + P352	IF ON SKIN: Wash with plenty of water/					
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P391	Collect spillage.					
Precautionary statements - Disp	posal :					
P501	Dispose of contents/container in accordance with local regulation.					

2.3. Other hazards

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Composition :

Identification	Classification GHS	Note	%
CAS: 4602-84-0 EC: 225-004-1 FARNESOL	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		100%

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this substance.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours. Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

No data available.

Physical state

1 ilystear searce	
Physical state :	Fluid liquid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash Point :	100.00 °C.
	Method for determining the flash point:

Not relevant. Not stated. Not stated. Insoluble. Not stated. Ker (log value) vater : Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)		ASTM D 93-15 (Standard Test Methods for Flash Point by Pensky- Martens Closed Cup Tester).
tion range : Not specified. Not relevant. Not stated. Not stated. Insoluble. Not stated. Not stated. Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)	Auto-ignition temperature	
Not relevant. Not stated. Not stated. Insoluble. Not stated. ter (log value) vater : Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)	Self-ignition temperature :	Not specified.
Not relevant. Not stated. Not stated. Insoluble. Not stated. ter (log value) vater : Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)	Decomposition temperature	
Not stated. Not stated. Insoluble. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Decomposition point/decomposition range :	Not specified.
Not stated. Not stated. Insoluble. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	pH	
Not stated. Insoluble. Not stated. Insoluble. Not stated. NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	pH :	Not relevant.
Insoluble. Not stated. vater : Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)	pH (aqueous solution) :	Not stated.
Insoluble. Not stated. vater : Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112)	Kinematic viscosity	
Not stated. http://water : Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Viscosity :	Not stated.
Not stated. http://water : Not stated. Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Solubility	
ter (log value) vater : Not stated. Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Water solubility :	Insoluble.
vater :Not stated.Not stated.0,877-0,897@20°CMethod for determining the density :NF ISO 279:1999 (T75-111)Not stated.1,477-1,487@20°CMethod of determining the refractive index :NF ISO 280:1999 (T75-112)physical hazard classes	Fat solubility :	Not stated.
Not stated. 0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Partition coefficient n-octanol/water (log value)	
0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Partition coefficient: n-octanol/water :	Not stated.
0,877-0,897@20°C Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Vapour pressure	
Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Vapour pressure (50°C) :	Not stated.
Method for determining the density : NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Density and/or relative density	
NF ISO 279:1999 (T75-111) Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Density :	0,877-0,897@20°C
Not stated. 1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes		Method for determining the density :
1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes		NF ISO 279:1999 (T75-111)
1,477-1,487@20°C Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Relative vapour density	
Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	Vapour density :	Not stated.
Method of determining the refractive index : NF ISO 280:1999 (T75-112) physical hazard classes	9.2. Other information	
NF ISO 280:1999 (T75-112) physical hazard classes	Index of refraction :	1,477-1,487@20°C
physical hazard classes		Method of determining the refractive index :
		NF ISO 280:1999 (T75-112)
	9.2.1. Information with regard to physical hazard classes	
	No data available.	
	9.2.2. Other safety characteristics	
	No data available.	
EACTIVITY	9.2.2. Other safety characteristics	
	10.2. Chemical stability This substance is stable under the recommended handling and sto	orage conditions in section 7.
recommended handling and storage conditions in section 7.	10.2 Descibility of beneridans mostions	-

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the substance can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2 Complex substance

No toxicological data available for the substances.

11.2. Information on other hazards

SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2 Complex substance

No aquatic toxicity data available for the substances.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available. 12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the substance and/or its container must be determined in accordance with local regulations.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(farnesol)

14.3. Transport hazard class(es)



```
- Classification :
```

9

```
14.4. Packing group
```

III

14.5. Environmental hazards



- Environmentally hazardous material :

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	ш	9	90	5 L	274 335 375 601	E1	3	-
	Not subject to this regulation if Q	1								

	<= 5 1/5 kg (ADR 3.3.1 - DS 375)									
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowag Handlii	e Segregati	on
	9	-	III	5 L	F-A. S-F	274 335 969	E1	Catego A	ŗy	
	Not subject to this regulation if Q <= 5 1/5 kg (IMDG 3.3.1 - 2.10.2.7)									
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	9	-	III	964	450 L	964	450 L	A97 A158 A197 A215	E1	
	9	-	ш	Y964	30 kg G	-	-	A97 A158 A197 A215	E1	
	Not subject to this regulation if Q <= 5 1/5 kg (IATA 4.4.4 - DS A197)									

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG. For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG. Marine pollutant (IMDG 3.1.2.9):(farnesol)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations have been used:

- Globally Harmonized System of Classification and Labelling of Chemicals (GHS), review no. 8 (2019)

Container information:

No data available.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.