










NOTE
 1. The drawing holder is attached with screws.
 Storage dimensions: W235 x H250 x thickness 38
 2. Eyebolts are not assembled to body, they are attached as accessories.


Enclosure specification				Model			
Type	Indoor use, Floor standing, E35-68A			E 35 - 68A			
Body	Steel	t 2.3		Drawing plate A3 scale			
Door	Steel	t 2.3					
Mounting plate	Steel	t 2.3					
Color	Standard / Light beige (5Y7/1)			Scale	1:15	Design	SUZUKI
IP	IP5X (Category 2)			Draw	NGUYEN	Check	SUZUKI
Weight	55.0 kg			Date:	25 / Mar. / 2021		




H ≤ 900mm



1000mm ≤ H ≤ 1900mm




2000mm ≤ H





E25-1619A
E35-1616A, 1618A, 1619A, 1620A, 1621A
E40-1616A, 1618A, 1619A, 1620A, 1621A
E50-1616A, 1618A, 1619A, 1620A, 1621A, 1623A

Detail C: Mounting plate installation(1:2)




Cross section B-B

* The holes are for W ≥ 1400mm only.
W: Product Width
H: Product Height
D: Product Depth



Detail E: Earth terminal(1:2)

Model	Detail view E					
Drawing						2/3
Scale	Design	ITOU	Draw	NGUYEN	Check	SUZUKI
Date: 25 / Mar. / 2021						



Enclosure specification					
Type	-	Model	E Base (5)		
Base	Steel t3.2	Drawing A3 scale	3/3		
	Steel t4.5(anchor bolt mounting part)				
Color	Standard / Light beige (5Y7/1)	Scale	Design	YAMAZAWA	Draw
.	.			NGUYEN	Check
.	.				SUZUKI
.	.	Date: 25 / Mar. / 2021			