







There is a bend (vertical direction) in center of rear side as shown in above drawing, so be careful when installing equipment.  
Cross section F-F


# NOTE

1. The drawing holder is attached with screws.  
Storage dimensions: W235 x H250 x thickness 38
2. Angle of eyebolt may vary depending on each enclosure.


| Enclosure specification |                                      |       |  | Model                  | E 40 - 718 A        |        |       |      |        |       |        |  |
|-------------------------|--------------------------------------|-------|--|------------------------|---------------------|--------|-------|------|--------|-------|--------|--|
| Type                    | Indoor use, Floor standing, E40-718A |       |  |                        | Drawing<br>A3 scale |        |       |      |        |       |        |  |
| Body                    | Steel                                | t 2.3 |  |                        |                     |        |       |      |        |       |        |  |
| Door/<br>Cover          | Steel                                | t 2.3 |  |                        |                     |        |       |      |        |       | 1<br>3 |  |
| Mounting<br>plate       | Steel                                | t 2.3 |  |                        |                     |        |       |      |        |       |        |  |
| Color                   | Standard / Light beige (5Y7/1)       |       |  | Scale                  | 1:20                | Design | INOUE | Draw | NGUYEN | Check | SUZUKI |  |
| IP                      | IP5X (Category 2)                    |       |  |                        |                     |        |       |      |        |       |        |  |
| Weight                  | 121.0 kg                             |       |  | Date: 25 / Mar. / 2021 |                     |        |       |      |        |       |        |  |



© NITTO KOGYO CORPORATION



Date: 25 / Mar. / 2021



**NOTE**  
 1.  $W$  is width dimension of the product.  
 2. The pitch is recommended hole position for anchor bolt mounting.  
 3. The holes will be used when mounting the anchors at 6 points.

|                         |                                       |   |   |                        |                  |        |          |      |        |       |        |
|-------------------------|---------------------------------------|---|---|------------------------|------------------|--------|----------|------|--------|-------|--------|
| Enclosure specification |                                       |   |   | Model                  | E Base (9)       |        |          |      |        |       |        |
| Type                    | -                                     |   |   |                        | Drawing A3 scale |        |          |      |        |       |        |
| Base                    | Steel t3.2                            |   |   |                        |                  |        |          |      |        | 3/3   |        |
|                         | Steel t4.5(anchor bolt mounting part) |   |   |                        |                  |        |          |      |        |       |        |
| Color                   | Standard / Light beige (5Y7/1)        |   |   |                        |                  |        |          |      |        |       |        |
| -                       | -                                     | - | - | Scale                  |                  | Design | YAMAZAWA | Draw | NGUYEN | Check | SUZUKI |
| -                       | -                                     | - | - |                        |                  |        |          |      |        |       |        |
| -                       | -                                     | - | - | Date: 25 / Mar. / 2021 |                  |        |          |      |        |       |        |