

SWIMMING POOL

FITTINGS

SPA FITTINGS



TRUST OUR PROFESSIONALS,
TRUST POOL&SPA

Colour :



SUCTION 5"


Material : Body ABS with UV stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-09-CW	150 gpm	White	1 1/2" FIP, 2" MIP
PSF-09-CB	150 gpm	Black	1 1/2" FIP, 2" MIP

Concrete Pool

PSF-09-FW	150 gpm	White	1 1/2" FIP, 2" MIP
PSF-09-FB	150 gpm	Black	1 1/2" FIP, 2" MIP

Fiberglass Pool



Colour :



MAIN DRAIN 8"


Round Frame and Grate Approved
White or Black Body ABS with Securing
Screws

Model	Flow Rate	Colour	Size
PSF-10-W	180 gpm	White	7 3/4" Diam., Open Area 13 sq.in
PSF-10-B	180 gpm	Black	7 3/4" Diam., Open Area 13 sq.in

MAIN DRAIN FITTINGS



Colour :




MAIN DRAIN 9" x 9"

Square Frame and Grate Approved
White or Black Body ABS with Securing
Screws

Model	Flow Rate	Colour	Size
PSF-11-W	200 gpm	White	9" x 9", Open Area 44 sq.in
PSF-11-B	200 gpm	Black	9" x 9", Open Area 44 sq.in

Colour :



MAIN DRAIN 12" x 12"

Square Frame and Grate Approved
White or Black Body ABS with Securing
Screws

Model	Flow Rate	Colour	Size
PSF-12-W	300 gpm	White	12" x 12", Open Area 78 sq.in
PSF-12-B	300 gpm	Black	12" x 12", Open Area 78 sq.in

Colour:  




ADJUSTABLE STANDARD WALL INLET (STANDARD EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-01-W	18 gpm	White	1½" FIP, 2" MIP
PSF-01-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:  



ADJUSTABLE STANDARD WALL INLET (STANDARD EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02-W	18 gpm	White	1½" FIP, 2" MIP
PSF-02-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:  



ADJUSTABLE STANDARD WALL INLET (STAR EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-03-W	18 gpm	White	1½" FIP, 2" MIP
PSF-03-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:  



STANDARD FLOOR INLET

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-07-W	50 gpm	White	1½" FIP, 2" MIP
PSF-07-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:  



FLOOR INLET (NEW MODEL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-20-W	50 gpm	White	1½" FIP, 2" MIP
PSF-20-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:  



STANDARD VACUUM

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-06-W	50 gpm	White	1½" FIP, 2" MIP
PSF-06-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:  



STARVACUUM

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-05-W	50 gpm	White	1½" FIP, 2" MIP
PSF-05-B	50 gpm	Black	1½" FIP, 2" MIP

INLET & VACUUM FITTINGS



SPA FITTINGS

Colour:



LONG SPA JET WITH VENTURI TEE

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02+PSJ-01	18-25 gpm	White	1½"
PSF-02-B+PSJ-01	18-25 gpm	Black	1½"

Colour:



SHORT SPA JET WITH VENTURI TEE

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02+PSJ-02	18-25 gpm	White	1½"
PSF-02-B+PSJ-02	18-25 gpm	Black	1½"

Colour:




STANDARD AIR VALVE CONTROL

White Body ABS For Concrete Pool

Model	Colour	Size
PSF-14-W	White	1½"
PSF-14-B	Black	1½"

Colour:




MINI AIR VALVE CONTROL (SNAP)

White Body ABS For Concrete Pool

Model	Colour	Size
PSF-13-W	White	1½"
PSF-13-B	Black	1½"

Colour:



FLOOR BUBBLES

White or Black Body ABS For Concrete Pool

Model	Colour	Size
PSF-15-W	White	1½"
PSF-15-B	Black	1½"

