

VEGETABLE / FRUIT / MEAT PURIFIER

INSTRUCTION MANUAL



CONTENTS


- 1、 Preface
- 2、 Part Name
- 3、 Safety Cautions
- 4、 Operation Cautions
- 5、 Operation Instructions
- 6、 Technology Parameters
- 7、 Random Accessories
- 8、 Applications& Benefits
- 9、 Trouble Shooting
- 10、 Terms & Conditions of Service

Introduction of 'ozone'

'Ozone (O₃)', its molecular weight of 48 and the density is 1.658 times the air, when in the normal temperature and pressure, it is gaseous and has strong oxidative, only behind the fluoride in the periodic table of elements. At the certain concentration, 'Ozone (O₃)' is a widely-used & highly-effective STERILIZER which can quickly kill Bacteria, Moulds & Viruses to purify air, water, food, dishes, oil, clothes, toys, etc. The amount of O₃ in the air is 0.01-0.04ppm, make the bacteria, fungi can not abnormal reproduction to maintain the ecology balance.

As the O₃ is a combination of micro-ions, combined state unstable, broken down into oxygen slowly at room temperature and the single-oxygen is separated, it is also known as the beginning of eco-oxygen, efficient and rapid microbicides, 600 times more than chlorine. O₃ decomposition rate would be due to temperature, humidity, PH and the different organics, 5-10 minutes to degrade completely, then ozone will turn to ordinary oxygen without bringing any pollution to the environment, No residue and no secondary pollution, which many chemicals that can not be done, called " the cleanest oxidant and disinfectant."

2、Part Name



3、Safety Cautions

A Warning Sign: This sign is to remind user that this machine operating at high voltage.

Caution Sign: This sign is to remind user to handle and maintain with caution.

A Power requirement: AC 220V/50Hz±10%

Operating at high voltage, do not attempt to disassemble by yourself.

Contact our service center or qualified engineer to change the broken cord or plug.

A Unplug the machine and clean with soft, dry cloth.

△ Do not place the machine in a damp and high temperature environment.

Do not attempt to disassemble, repair, or refit by yourself.

4、 Operation Cautions

1. The machine should be mounted in the position, where is higher than water level, to protect water from backflow into the machine.
2. Do not put the machine in a smoky or damp place and avoid high temperature environment.
3. Handle with caution; Please do not block the air outlet or air inlet, so as not to affect air circulation.
4. Place the machine in a proper position out of access to children.
5. Keep the air tube clean and do not fold it.
6. Do not close your eyes or nose to the air outlet of the machine.
7. Do not stay in an airtight room when purifying the air.
8. Stop using the machine if you feel dizzy after you have used it.
9. Do not use the machine in an airtight room for too long.
10. Do not drink ozone treated water until the process is completed for 5-10 minutes.
11. The safety level of ozone for human is about 0.01-0.1pm ,which is about the same level of ozone in nature.
12. It is normal if the air tube becomes white or yellow after using for some time.
13. Make sure that the diffuser stone is in the bottom of the vessel when treating water.
14. In water treatment, when the water is 20-40cm deep, ozone has high dissolving ability.
15. Disconnect the power cord when repairing or maintaining the machine.

5、 Operation Instructions

5.1 Home drinking water purification / fruits and vegetables, meat, seafood fresh antidote.

- (1) To the end of the catheter vent aeration stone to connect with good wishes to be decontaminated and placed in water or filled with a single fruit, vegetables, meat, seafood or water containers (Chi vegetables, pots of vegetables, etc.).
- (2) Plug connected to the power indicator light (red), the stand-by status for the state. Clockwise rotation, "Oxygen knob adjustment of working hours" to "10 Minutes" Department (the work of that time was 10 minutes), bright light (green)for the work of the state.
- (3) Deal with the end of 20 minutes, you can feel at ease in consumption.
- (4) Adjustable Oxygen :0-working hours for 30 minutes.
- (5) If you want to stop half-way Oxygen, anti-clockwise rotation, "Oxygen regulation of working hours Knob "arrow to be OFF.
- (6) If you do not use for a long time, you plug the power cord from the power off, totally cut off power supply.

5.2 Sterilization of indoor air, dust, deodorant:

- (1) the machines placed in the living room or bedroom inside.
- (2) connected to the power plug, bright light (red), the stand-by status for the state. Clockwise rotation, "Oxygen knob adjustment of working hours" to "10 Minutes" Department (the work of that time was 10 minutes), bright light (green), the state work for the state.
- (3) the end of the deal, you can enjoy the fresh air.
- (4) Adjustable Oxygen :0-working hours for 30 minutes.
- (5) If you want to stop half-way Oxygen, anti-clockwise rotation, "Oxygen knob adjustment of working hours "Arrow to be OFF.
- (6) If you do not use for a long time, you plug the power cord from the power off, totally cut off power supply.

6、Technology Parameters

Product name: VEGETABLE/FRUIT/MEAT PURIFIER	Ozone Max working time : 30min/per time
	Ozone output :400mg/h
Voltage: AC 220V/50Hz±10%	Net weight : 0.8kg
Power consumption :15W	Products size : 250x185x85mm

7、Random accessories

Name	Amount
Instruction manual	1
Outlet pipe	2
Diffuser stone	3

8、 Applications& Benefits

1) For House & Living:

Application	Time	Benefits
Purify Air (living room, kitchen, toilet, cabinet, new furniture, new decoration, etc.)	10-30	- Kill germs & bacteria - Kill viruses – effectively protect you from Ordinary flu & the recent Swine Flu (A/H1N1) - Get rid of poisonous elements from furniture or decoration such as formaldehyde, toluene, painting, ammonia, etc. - Clear bad indoor smell such as smoke, dust, stink, etc.

* Notes:

- Men & animals are advised to LEAVE THE ROOM when the generator is working under the 'air purification program' – Re-enter the room in 30-40 minutes!
- When used for purifying air, the ozone generator needs to be placed HIGH inside the room (as ozone is heavier than air) for better effect!
- 'Ozone Outlet Tube' & 'Ozone Diffuser Stone' suggested!

2) For Food & Drink:

Application	Time	Benefits
Purify Drinking Water	5-10	- Highly beneficial for conditions like gastritis, enteritis, diarrhea, etc.
	* Please do not drink the ozonized water straight away as it might be too strong for the esophagus - Drink it in 20 minutes or after boiling!	
Purify Dishes (Use ozonized water)	10	- Kill germs, bacteria and viruses left on the dishes
Purify Meat & Fish (Use ozonized water)	15	- Kill germs, bacteria & viruses - Get rid of harmful hormone / incretion
Purify Fruit & Vegetable (Use ozonized water)	20	- Get rid of pesticide remains - Keep fruit & vegetable 'fresh' and 'tasty'
Olive Oil	30	- Keep the ozonated oil in the fridge, and it can last long - Perfect for skin disease, health & beauty

*** Notes:**

- 'Ozone Outlet Tube' & 'Ozone Diffuser Stone' required!
- When used to purify liquid (water, oil, etc.), the ozone generator is advised to be placed HIGHER than the level of liquid, to avoid backflow of liquid into the device!

3) For Personal Hygiene / Health & Beauty:

Application	Time	Benefits
Ozone Hand Wash	10	- Kill bacteria & viruses on the hands
Ozone Foot Spa	20-30	- Great help with athlete's foot (dermatophytosis)
Ozone Face Wash	10-20	- Improve skin conditions to make it smoother, brighter, and softer
Ozone Teeth Brush	5-10	- Help with mouth ulcer, non-neuropathic tooth ache, etc.
Ozone Bath	20	- Highly beneficial for conditions such as skin disease, social disease, female disease, rheumatic disease, etc.
Improve Sexual Safety	10-20	- Wash the private to prevent female disease - Prevent social disease & improve sexual safety
Purify Clothes	20	- Kill bacteria & viruses attached on underwear, clothes, sheets, liners, blankets, etc.
Purify Infant Appliances	10	- Kill bacteria & viruses on feeding bottles, plastic nipples, baby toys, etc.

*** Notes:**

- Use 'Ozonized Water' for all the above applications!
- 'Ozone Outlet Tube' & 'Ozone Diffuser Stone' required!

9、Trouble Shooting

Dear user:

Please refer to this troubleshooting guide to correct the following problems during operation. If the problems still exist, please contact our service department or authorized technician.

1. During normal operation, if output volume of ozone & negative ion significantly decreases or to be zero, please check the following:

- (1). Whether Pipe is blocked, broken or folded. In this event, please change the pipe or unfold it.
- (2). If the diffuser stone is clogged. In the event of clogging, please change a new diffuser stone.

***Note:** If the problems still exist, please contact our service department or authorized technician.

2. If there is no smell of ozone during normal operation, please contact our service department or authorized technician.

3. It means that proper functioning or appearance is achieved if there is black dust on the surface of the generator or nearby.

4. If there is no slight air flow on gas outlet while negative ion working indicator is on, please contact our service department or authorized technician.

***Caution:** For human safety, any repairs & replacement to the generator by the unauthorized person are not allowed.

10、 Terms & Conditions of Service

10.1 One year limited warranty from the date of purchasing.

- (1) This warranty covers only repairs and replacements made necessary due to defects in material or workmanship, under the applicable warranty only for the warranty period.
- (2) This warranty does not cover accessories, auxiliary device, transportation fee and On-site service fee.
- (3) Guarantee card & purchasing invoice are both required on demand for warranty.

10.2 The following conditions are not covered by this Warranty:

- (1) Any damage or malfunction as a result of unauthorized removal, replacement & repair of this generator.
- (2) Any damage or malfunction as a result of improper transport and operation.
- (3) Any damage or malfunction as a result of improper maintenance or commercial use.
- (4) Any damage or malfunction as a result of force majeure, such as fire, flood, earthquake etc.
- (5) Any damage or malfunction as a result of the operation not furnished in accordance with this manual.
- (6) Any modification in guarantee card or purchasing invoice without permit.
- (7) Damages caused by Improper repairs or alteration, replacement in non-authorized maintenance points.

10.3、 From the end date of warranty, we only charge on replacement parts.

10.4、 Please fill in the guarantee card properly after purchasing.

10.5、 Any service beyond warranty will be charged according to our terms.

10.6、 All rights reserved including the rights of interpretation of this guarantee card & this manual.