Terra-Lux Dual-Use Light

HIGH ENERGY EFFICIENCY AND ILLUMINATION

For underwater or ground surface installation

Waterproof Standard

IP68

Cable

1.5m

Installation

Underwater/Floor

Materia

AISI-316 Stainless Steel Light with durable ABS Plastic Housing

IP68 (E ROHS SAA





Product Features






ENERGY SAVING, AND A WIDE RANGE OF APPLICATIONS

nergy while at the same time generates high level illumination from its 3W LED light source. The AISI-316 stainless steel body assures optimum corrosion resistance.

The polished stainless steel surface is simply classic and elegant. The high grade ABS plastic niche is also durable and applicable for installations such as in-ground, pool wall, deck surface, and steps.









Product Information

Code	Model	Installation	Watt/ Voltage	Color	Illumiance (lux)
88048683	TL-1F	Floor	3W/12V	Cool White, 6,000k	140
88048583	TL-1C	Wall	3W/12V	Cool White, 6,000k	140
88048691	TL-1F	Floor	3W/12V	Warm White, 3,000k	198
88048591	TL-1C	Wall	3W/12V	Warm White, 3,000k	198

Product Dimensions





Product Installation



TL-1F



TL-1C

EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS G/F 41 TIN HAU TEMPLE ROAD, NORTH POINT, HONG KONG PHONE +852 2832 9880 www.emauxgroup.com



Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.