



DDH 6 EC/DDH 8 EC


Model	:	DDH 6 EC (STE)	DDH 8 EC (STE)
Product Code	:	1111-238182	1111-238183
Dimension Product (HxWxD)	:	197 x 235 x 115 mm.	
Dimension Box (HxWxD)	:	143 x 503 x 230 mm.	
Weight of Product	:	1.20 kg.	
Weight overall	:	2.80 kg.	



Packing Box





Packing Box



DDH 6 EC/DDH 8 EC

Technical Data

Product Name	DDH 6 EC (STE)	DDH 8 EC (STE)
Product Code	1111-238182	1111-238183
Barcode Product	 8 854685 005186	 8 854685 005193
Type	DDH 6 EC	DDH 8 EC
Norminal capacity (l.)	0.32	
Design	Close outlet	
Min. inlet water pressure MPa (bar)	0.02 (0.2)	0.03(0.3)
Max. inlet water pressure MPa (bar)	1 (10)	
Water connection	G 1/2" (External Thread)	
Electrical connection	1/N/PE/AC 220..240 V.	
Dimension (H x W x D) (mm.)	235 x 197 x 115	
Weight (kg.)	1.7	
Recommended circuit breaker (A.)	32	40
Recommended cable size (Sqmm.)	4-6	6-8
Rated power (kW) Rated current (A)	kW - A	kW - A
	220 V	8.0 - 36.4
	230 V	8.7 - 37.8
	240 V	9.5 - 39.6

Features

- Electronic control with 3 step adjustments
- Multi point multi function
- Automatic cut-off for scalding prevention
- High pressure and heat resistant copper tank
- Water proof to IP 25
- ELCB (Earth Leak Circuit Breaker)
- European product design
- The compact design in the most limited of space