



Version: 1.1

Revision date: 20.01.2020

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation: Product No.: Synonymes: CAS No. Perchloric acid 70% AR, ACS P0069 none 7601-90-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

General chemical reagent

1.3 Details of the supplier of the safety data sheet

Supplier

Avantor Performance Materials India Ltd. Street Postal code/city Telephone	501, 5th floor, Tiffany Building, Hiranandani Business Park, Thane, Maharashtra - 400607, India 022-41288100
Emergency phone number	
Telephone	1800105561
Preparation Information Product Information Compliance	
1.4 E-mail	SDS@avantorsciences.com



SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Physical hazards

Oxidising liquid, category 1

health hazards

Skin corrosion, category 1A

2.2 Label elements Hazard pictograms



Signal word: Danger

May cause fire or explosion; strong oxidiser. Causes severe skin burns and eye damage.

2.3 Other hazards none

SECTION 3: Composition / information on ingredients

Substances

not applicable

Mixtures

Hazardous ingredients

Substance name	Identifier	Concentration	Hazard classes and hazard categories
Perchloric acid	CAS No.: 7601-90-3	65 - 72 %	Ox. Liq. 1 - H271
			Skin Corr. 1A - H314

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTRE/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.





In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed no data available

no data available

SECTION 5: Firefighting measures

5 1 Extinguishing media

Suitable extinguishing media The product itself does not burn. May intensify fire; oxidiser. Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons no restriction

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Hydrogen chloride (HCl)

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe gas/vapour/aerosol. Provide adequate ventilation. Use personal protection equipment. In case of major fire and large quantities: Remove persons to safety. Wear a self-contained breathing apparatus and chemical protective clothing.





6.2 Environmental precautions

Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated articles and floor according to the environmental legislation. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid:

Inhalation

Avoid contact with eyes and skin.

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protect from moisture.

Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place.

Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Exposure controls

Appropriate engineering controls no data available

Personal protection equipment

no data available

Eye/face protection no data available

Skin protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Recommended glove articles DIN-/EN-Norms: EN ISO 374 In the case of wanting to use the gloves again, clean them before taking off and air them well.



By short-term hand contact Suitable material: Thickness of the glove material: Breakthrough time (maximum wearing time):

NBR (Nitrile rubber) 0,425 mm 30-60 min

By long-term hand contact Suitable material: Thickness of the glove material: Breakthrough time (maximum wearing time):

Butyl caoutchouc (butyl rubber) 0,50 mm > 480 min

Respiratory protection no data available

Additional information no data available

Environmental exposure controls no data available



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Colour:	colourless
(b) Odour:	odourless
(c) Odour threshold:	no data available

Safety relevant basic data

 (d) pH: (e) Melting point/freezing point: (f) Initial boiling point and boiling range: (g) Flash point: (h) Evaporation rate: (i) Flammability (solid, gas): (j) Flammability or explosive limits 	no data available -18 °C 198.7 °C (1013 hPa) no data available no data available not applicable
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	no data available
(I) Vapour density:	no data available
(m) Relative density:	1.67 g/cm³ (20 °C)
(n) Solubility(ies)	
Water solubility (g/L):	no data available
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	no data available
(p) Auto-ignition temperature:	no data available
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
(s) Explosive properties:	not applicable
(t) Oxidising properties:	May cause fire or explosion; strong oxidiser.

9.2 Other information

Bulk density:	no data available
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Oxidising agent, strong Corrosive to metals

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).



10.3 Possibility of hazardous reactions

Explosive when mixed with combustible material. Explosive reaction with: Alkali metals Alkaline earth metal Alkali (lye) Substance, organic Reducing agent Peroxides Oil Violent reaction with: light metals Powdered metals Formation of: Hydrogen Exothermic reaction with: Water

10.4 Conditions to avoid

Humidity Heat

10.5 Incompatible materials

Metal

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: no data available

Acute dermal toxicity: no data available

Acute inhalation toxicity: no data available

Irritant and corrosive effects

Primary irritation to the skin: Causes severe skin burns and eye damage.

Irritation to eyes: Causes serious eye damage.

Irritation to respiratory tract: not applicable



Respiratory or skin sensitisation

In case of skin contact: not sensitising After inhalation: not sensitising

STOT-single exposure not applicable

STOT-repeated exposure not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

Germ cell mutagenicity No indications of human germ cell mutagenicity exist.

Reproductive toxicity No indications of human reproductive toxicity exist.

Aspiration hazard not applicable

Other adverse effects no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity: no data available

Daphnia toxicity: no data available

Algae toxicity: no data available

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

- 12.5 Results of PBT/vPvB assessment no data available
- 12.6 Other adverse effects

no data available



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1	UN-No.:	1873
14.2	Proper Shipping Name:	PERCHLORIC ACID
14.3	Class(es):	5.1 (8)
	Classification code:	OC1
	Hazard label(s):	5.1+8
14.4	Packing group:	1
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	Hazard identification number (Kemler	558
	No.):	
	tunnel restriction code:	B/E
		(Passage forbidden through tunnels of category B, C and
		D when carried in tanks. Passage forbidden through

D when carried in tanks. Passage forbidden through tunnels of category E.)

Sea transport (IMDG)

14.1	UN-No.:	1873
14.2	Proper Shipping Name:	PERCHLORIC ACID
14.3	Class(es):	5.1 (8)
	Classification code:	
	Hazard label(s):	5.1+8
14.4	Packing group:	I
14.5	Environmental hazards:	No
	Marine pollutant:	No
14.6	Special precautions for user:	
	Segregation group:	1
	EmS-No.	F-A S-Q
14.7	Transport in bulk according to Annex II of Manot relevant	ARPOL 73/78 and the IBC Code



Air transport (ICAO-TI / IATA-DGR)

	UN-No.:	
14.Z	Proper Shipping Name:	PERCHLORIC ACID
14.3	Class(es):	5.1 (8)
	Classification code:	
	Hazard label(s):	5.1+8
14.4	Packing group:	I
14.5	Special precautions for user:	



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe) CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures DFG - German Research Foundation (Deutsche Forschungsgemeinschaft) Gestis - Information system on hazardous substances of the German Social Accident Insurance (Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung) IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic RID - Regulation concerning the International Carriage of Dangerous Goods by Rail STV - Short Term Value SVHC - Substances of Very High Concern vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes:	general update
indication of changes.	general apaalo

Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.