

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name/designation:	Hydrogen peroxide 30% laboratory reagent
Product No.:	H0175
Synonymes:	none
CAS No.	7722-84-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	General chemical reagent
---------------------------	--------------------------

1.3 Details of the supplier of the safety data sheet**Supplier****Avantor Performance Materials India Ltd.**

Street	501, 5th floor, Tiffany Building, Hiranandani Business Park,
Postal code/city	Thane, Maharashtra - 400607, India
Telephone	022-41288100

Emergency phone number

Telephone	1800105561
-----------	------------

Preparation Information

Product Information Compliance

1.4 E-mail

SDS@avantorsciences.com

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

health hazards

Acute toxicity, category 4, oral
Serious eye damage, category 1

2.2 Label elements

Hazard pictograms



Signal word: Danger

Harmful if swallowed.
Causes serious eye damage.

2.3 Other hazards none

SECTION 3: Composition / information on ingredients

Substances

not applicable

Mixtures

Hazardous ingredients

Substance name	Identifier	Concentration	Hazard classes and hazard categories
Hydrogen peroxide	CAS No.: 7722-84-1	30 - 35 %	Ox. Liq. 1 - H271 Acute Tox. 4 - H302+H332 Skin Corr. 1A - H314

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTRE/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

no data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

no restriction

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated:

Pyrolysis products, toxic

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use water spray jet to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

In case of major fire and large quantities: Remove persons to safety.

6.2 Environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid:

Inhalation

Avoid contact with eyes and skin.

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protect from moisture.

Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place. Keep/Store away from combustible materials.

Due to gaseous decomposition products, overpressure can occur in tightly sealed containers. Container should not be closed gas-tight.

Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Exposure controls

Appropriate engineering controls

no data available

Personal protection equipment

no data available

Eye/face protection

no data available

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,12 mm
Breakthrough time (maximum wearing time):	41 min

By long-term hand contact

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,38 mm
Breakthrough time (maximum wearing time):	> 480 min

Respiratory protection

no data available

Additional information

no data available

Environmental exposure controls

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|----------------------|-------------------|
| (a) Appearance | |
| Physical state: | liquid |
| Colour: | colourless |
| (b) Odour: | no data available |
| (c) Odour threshold: | no data available |

Safety relevant basic data

- | | |
|--|--------------------------------|
| (d) pH: | 2 - 4 (20 °C) |
| (e) Melting point/freezing point: | no data available |
| (f) Initial boiling point and boiling range: | 107 °C (1013 hPa) |
| (g) Flash point: | no data available |
| (h) Evaporation rate: | no data available |
| (i) Flammability (solid, gas): | not applicable |
| (j) Flammability or explosive limits | |
| Lower explosion limit: | no data available |
| Upper explosion limit: | no data available |
| (k) Vapour pressure: | no data available |
| (l) Vapour density: | no data available |
| (m) Relative density: | 1.11 g/cm ³ (20 °C) |
| (n) Solubility(ies) | |
| Water solubility (g/L): | no data available |
| Soluble (g/L) in Ethanol: | no data available |
| (o) Partition coefficient: n-octanol/water: | no data available |
| (p) Auto-ignition temperature: | no data available |
| (q) Decomposition temperature: | no data available |
| (r) Viscosity | |
| Kinematic viscosity: | no data available |
| Dynamic viscosity: | no data available |
| (s) Explosive properties: | not applicable |
| (t) Oxidising properties: | not applicable |

9.2 Other information

- | | |
|------------------------|-------------------|
| Bulk density: | no data available |
| Refraction index: | no data available |
| Dissociation constant: | no data available |
| Surface tension: | no data available |
| Henry's Law Constant: | no data available |

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

The generally known reaction partners of water.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute effects**

Acute oral toxicity:

Hydrogen peroxide - LD50: < 1193 mg/kg - Rat - (CHP)

Acute dermal toxicity:

Hydrogen peroxide - LD50: 2000 mg/kg - Rabbit - (IUCLID)

Acute inhalation toxicity:

Hydrogen peroxide - LC50: 2 g/m³ - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

Irritant and corrosive effects

Primary irritation to the skin:

not applicable

Irritation to eyes:

Causes serious eye damage.

Irritation to respiratory tract:

not applicable

Respiratory or skin sensitisation

In case of skin contact: not sensitising

After inhalation: not sensitising

STOT-single exposure

not applicable

STOT-repeated exposure

not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Carcinogenicity****Germ cell mutagenicity**

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available

SECTION 12: Ecological information**12.1 Ecotoxicity****Fish toxicity:**

Hydrogen peroxide - LC50: 24.4 mg/l (96 h) - Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.

Daphnia toxicity:

Hydrogen peroxide - EC50: 13.2 mg/l (48 h) - Watanabe, H., E. Takahashi, Y. Nakamura, S. Oda, N. Tatarazako, and T. Iguchi 2007. Development of a Daphnia magna DNA Microarray for Evaluating the Toxicity of Environmental Chemicals. Environ.Toxicol.Chem. 26(4):669-676

Algae toxicity:

Hydrogen peroxide - EC50: 3.36 mg/l (72 h) - Smit, M.G.D., E. Ebbens, R.G. Jak, and M.A.J. Huijbregts 2008. Time and Concentration Dependency in the Potentially Affected Fraction of Species: The Case of Hydrogen Peroxide Treatment of Ballast Water. Environ.Toxicol.Chem. 27(3):746-753

Hydrogen peroxide - EC50: 5.74 mg/l (96 h) - Gregor, J., D. Jancula, and B. Marsalek 2008. Growth Assays with Mixed Cultures of Cyanobacteria and Algae Assessed by In Vivo Fluorescence: One Step Closer to Real Ecosystems?. Chemosphere 70(10):1873-1878

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1	UN-No.:	2014
14.2	Proper Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3	Class(es):	5.1 (8)
	Classification code:	OC1
	Hazard label(s):	5.1+8
14.4	Packing group:	II
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	Hazard identification number (Kemler No.):	58
	tunnel restriction code:	E
		(Passage forbidden through tunnels of category E.)

Sea transport (IMDG)

14.1	UN-No.:	2014
14.2	Proper Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3	Class(es):	5.1 (8)
	Classification code:	
	Hazard label(s):	5.1+8
14.4	Packing group:	II
14.5	Environmental hazards:	No
	Marine pollutant:	No
14.6	Special precautions for user:	
	Segregation group:	16
	EmS-No.	F-H S-Q
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	not relevant	

Air transport (ICAO-TI / IATA-DGR)

14.1	UN-No.:	2014
14.2	Proper Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3	Class(es):	5.1 (8)
	Classification code:	
	Hazard label(s):	5.1+8
14.4	Packing group:	II
14.5	Special precautions for user:	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe)
CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DFG - German Research Foundation (Deutsche Forschungsgemeinschaft)
Gestis - Information system on hazardous substances of the German Social Accident Insurance (Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung)
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations
ICAO-TI - International Civil Aviation Organization-Technical Instructions
IMDG - International Maritime Code for Dangerous Goods
LTV - Long Term Value
NIOSH - National Institute for Occupational Safety and Health
OSHA - Occupational Safety & Health Administration
PBT - Persistent, Bioaccumulative and Toxic
RID - Regulation concerning the International Carriage of Dangerous Goods by Rail
STV - Short Term Value
SVHC - Substances of Very High Concern
vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes: none

Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.