



Version: 1.1

Revision date: 06.01.2022

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation: Product No.: Synonymes: CAS No. Hydrochloric acid analytical reagent H0080 none 7647-01-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For Laboratory, Research or Manufacturing Use.

1.3 Details of the supplier of the safety data sheet

Supplier

Avantor Performance Materials India Ltd. Street Postal code/City Telephone	501, 5th floor, Tiffany Building, Hiranandani Business Park, Thane, Maharashtra - 400607, India 022-41288100
Emergency phone number	
Telephone	1800105561
Preparation Information Product Information Compliance	
1.4 E-mail	SDS@avantorsciences.com



SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Physical hazards

Substance or mixture corrosive to metals, category 1

Health hazards

Skin corrosion, category 1B Specific target organ toxicity (single exposure), category 3, Respiratory tract irritation

2.2 Label elements

Hazard pictograms



Signal word: Danger

Hazard statements

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements

Prevention: P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308+P310 - IF exposed or concerned: Immediately call a POISON CENTER/doctor.

2.3 Other hazards none



SECTION 3: Composition / information on ingredients

Substances

not applicable

Mixtures

Composition / Information on ingredients

Substance name	Identifier	Concentration
Hydrochloric acid	CAS No.: 7647-01-0	30 - 40%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

IF exposed: Immediately call a POISON CENTRE/doctor. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.



Extinguishing media which must not be used for safety reasons no restriction

no restriction

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Hydrogen chloride (HCI)

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety. Wear a self-contained breathing apparatus and chemical protective clothing.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated articles and floor according to the environmental legislation. Soak up inert absorbent and dispose as waste requiring special attention.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid:

Inhalation

Avoid contact with eyes and skin.

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protect from moisture.

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place. Corrosive to metals





7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CElabels including the four control digits must be worn.

Eye/face protection Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact	
Suitable material:	CR (polychloroprene, chloroprene rubber)
Thickness of the glove material:	0,13 mm
Breakthrough time:	101 min
By long-term hand contact Suitable material: Thickness of the glove material: Breakthrough time:	CR (polychloroprene, chloroprene rubber) - > 480 min

Respiratory protection no data available

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical	properties
(a) Appearance	liquid
Physical state:	liquid
Colour:	colourless
(b) Odour:	no data available
(c) Odour threshold:	no data available
Safety relevant basic data	
(d) pH:	no data available
(e) Melting point/freezing point:	no data available
(f) Initial boiling point and boiling range:	no data available
(g) Flash point:	no data available
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	no data available
(I) Vapour density:	no data available
(m) Density:	1.18 g/cm³ (20 °C)
(n) Solubility(ies)	
Water solubility:	no data available
(o) Partition coefficient: n-octanol/water:	no data available
(p) Auto-ignition temperature:	no data available
(q) Decomposition temperature:	not applicable
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable
(u) Particle characteristics	not applicable - no nanoform/not combustible
9.2 Other information	
Bulk density:	no data available
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Corrosive to metals

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Explosive reaction with: Alkali metals



Alkaline earth metal Alkali (lye) Violent reaction with: light metals Powdered metals Exothermic reaction with: Water Substance, organic

10.4 Conditions to avoid

Humidity

10.5 Incompatible materials

Metal

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: no data available

Acute dermal toxicity: Hydrochloric acid - LD50: > 5010 mg/kg - Rabbit - (Japan GHS Basis for Classification Data)

Acute inhalation toxicity: Hydrochloric acid - LC50: 8.3 mg/l (30 min) - Rat - (IUCLID)

Hydrochloric acid - LC50: 45.6 mg/l (5 min) - Rat - (IUCLID)

Irritant and corrosive effects

Primary irritation to the skin: Causes severe skin burns and eye damage.

Irritation to eyes: Causes serious eye damage.

Irritation to respiratory tract: May cause respiratory irritation.

Respiratory or skin sensitisation

In case of skin contact: not sensitising After inhalation: not sensitising

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

not applicable





CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity No indication of human carcinogenicity.

Germ cell mutagenicity No indications of human germ cell mutagenicity exist.

Reproductive toxicity No indications of human reproductive toxicity exist.

Aspiration hazard not applicable

Other adverse effects no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity: no data available

Daphnia toxicity:

Hydrochloric acid - LC50: 250 mg/l (48 h) - Portmann, J.E., and K.W. Wilson 1971. The Toxicity of 140 Substances to the Brown Shrimp and Other Marine Animals. Shellfish Information Leaflet No.22 (2nd Ed.):12 p.

Hydrochloric acid - EC50: 0.45 (pH: 4.9) mg/l (48 h) Daphnia Magna - OECD 202

Algae toxicity:

Hydrochloric acid - EC50: 0.73 (pH: 4.7) mg/l (72 h) freshwater - OECD 201

Hydrochloric acid - NOEC: mg/l (72 h) freshwater - OECD 201

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

not applicable

12.6 Other adverse effects

no data available



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

		4700
14.1	UN-No.:	1789
14.2	Proper Shipping Name:	HYDROCHLORIC ACID
14.3	Class(es):	8
	Classification code:	C1
	Hazard label(s):	8
14.4	Packing group:	II
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
14.0	Hazard identification number (Kemler	80
	•	80
	No.):	-
	tunnel restriction code:	E
		(Passage forbidden through tunnels of category E.)
Sea tra	ansport (IMDG)	
Sea tra	ansport (IMDG)	
Sea tra 14.1	uN-No.:	1789
14.1 14.2	UN-No.: Proper Shipping Name:	1789 HYDROCHLORIC ACID
14.1	UN-No.: Proper Shipping Name: Class(es):	
14.1 14.2	UN-No.: Proper Shipping Name: Class(es): Classification code:	HYDROCHLORIC ACID 8
14.1 14.2 14.3	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s):	HYDROCHLORIC ACID 8 8
14.1 14.2 14.3 14.4	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group:	HYDROCHLORIC ACID 8 8 II
14.1 14.2 14.3	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards:	HYDROCHLORIC ACID 8 8 II No
14.1 14.2 14.3 14.4 14.5	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards: Marine pollutant:	HYDROCHLORIC ACID 8 8 II
14.1 14.2 14.3 14.4	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards: Marine pollutant: Special precautions for user:	HYDROCHLORIC ACID 8 8 II No No
14.1 14.2 14.3 14.4 14.5	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards: Marine pollutant: Special precautions for user: Segregation group:	HYDROCHLORIC ACID 8 8 II No No 1
14.1 14.2 14.3 14.4 14.5 14.6	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards: Marine pollutant: Special precautions for user: Segregation group: EmS-No.	HYDROCHLORIC ACID 8 8 II No No 1 F-A S-B
14.1 14.2 14.3 14.4 14.5	UN-No.: Proper Shipping Name: Class(es): Classification code: Hazard label(s): Packing group: Environmental hazards: Marine pollutant: Special precautions for user: Segregation group:	HYDROCHLORIC ACID 8 8 II No No 1 F-A S-B



Air transport (ICAO-TI / IATA-DGR)

14.1	UN-No.:	1789
14.2	Proper Shipping Name:	HYDROCHLORIC ACID
14.3	Class(es):	8
	Classification code:	
	Hazard label(s):	8
14.4	Packing group:	II
14.5	Special precautions for user:	



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe) CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures DFG - German Research Foundation (Deutsche Forschungsgemeinschaft) DNEL - Derived No Effect Level Gestis - Information system on hazardous substances of the German Social Accident Insurance (Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung) IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods KOSHA - Korea Occupational Safety and Health Agency LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic **PNEC - Predicted No Effect Concentration** RID - Regulation concerning the International Carriage of Dangerous Goods by Rail STV - Short Term Value SVHC - Substances of Very High Concern vPvB - very Persistent, very Bioaccumulative

Key literature references and sources for data

This Safety Data Sheet has been prepared based on information available for public as TOXNET information, European Chemicals Agency (ECHA) substance dossier, papers from international cancer research institutes (IARC Monographs), U.S. National Toxicology Program data, U.S. Agency for Toxic Substances and Disease Control (ATSDR), PubChem websites and SDS from our raw material manufacturers.

Revision date 06.01.2022	Version 1.1	Print date 2022-01-06
Additional information		
Indication of changes:	Section 2	
	If you need an explanation of the change, contact th supplier (SDS@avantorsciences.com).	





Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of relation for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.