



Version: 1.1

Revision date: 31.07.2020

# **Safety Data Sheet**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name/designation: Methanol laboratory reagent

Product No.: M0170

Synonymes: Carbinol, Hydroxy methane, Methyl alcohol, Wood alcohol

CAS No. 67-56-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: General chemical reagent

# 1.3 Details of the supplier of the safety data sheet

# **Supplier**

**Avantor Performance Materials India Ltd.** 

Street 501, 5th floor, Tiffany Building, Hiranandani Business Park,

Postal code/City Thane, Maharashtra - 400607, India

Telephone 022-41288100

**Emergency phone number** 

Telephone 1800105561

**Preparation Information** 

**Product Information Compliance** 

**1.4 E-mail** SDS@avantorsciences.com





# **SECTION 2: Hazard identification**

# 2.1 Classification of the substance or mixture

#### **Physical hazards**

Flammable liquid, category 2

#### **Health hazards**

Acute toxicity, category 3, oral, dermal and inhalation Specific target organ toxicity (single exposure), category 1<sup>(1)</sup>

# **Target Organs**

(1) no data available

# 2.2 Label elements Hazard pictograms



## Signal word: Danger

Highly flammable liquid and vapour.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to organs.

#### **Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

## Response:

IF ON SKIN: Wash with plenty of water/...

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Immediately call a POISON CENTER/doctor.

2.3 Other hazards This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# **SECTION 3: Composition / information on ingredients**

#### **Substances**

 $\begin{array}{lll} \text{Substance name} & \text{Methanol} \\ \text{Molecular formula} & \text{H}_3\text{COH} \\ \text{Molecular weight} & 32.04 \text{ g/mol} \\ \text{CAS No.} & 67-56-1 \\ \end{array}$ 





## **SECTION 4: First aid measures**

#### 4.1 General information

IF exposed: Immediately call a POISON CENTRE/doctor. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

#### After inhalation

Immediately call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

# After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

## In case of ingestion

Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

## Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Water spray ABC-powder Carbon dioxide (CO2) Nitrogen

## Extinguishing media which must not be used for safety reasons

no restriction

## 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2)

# 5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.





Do not inhale explosion and combustion gases.

Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety.

#### 6.2 Environmental precautions

Discharge into the environment must be avoided.

## 6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

## 6.4 Additional information

Clear spills immediately.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid:

Inhalation

Avoid contact with eyes and skin.

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Keep away from sources of ignition - No smoking.

Usual measures for fire prevention.

Take precautionary measures against static discharges.

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place. Store in a place accessible by authorized persons only. Keep/Store away from combustible materials.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

# 8.2 Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.





## Personal protection equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CElabels including the four control digits must be worn.

## Eye/face protection

Eye glasses with side protection

#### Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

### By short-term hand contact

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,38 mm

Breakthrough time::

## By long-term hand contact

Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of the glove material: 0,30 mm
Breakthrough time:: > 480 min

# Respiratory protection

no data available

#### Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

# Environmental exposure controls

no data available





# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

(a) Appearance

Physical state: liquid
Colour: colourless
(b) Odour: characteristic
(c) Odour threshold: no data available

## Safety relevant basic data

(d) pH: 7 (20 °C) (e) Melting point/freezing point: -98 °C

(f) Initial boiling point and boiling range:
(g) Flash point:
(h) Evaporation rate:
64.6 °C (1013 hPa)
11 °C (closed cup)
no data available

(i) Flammability (solid, gas): Highly flammable liquid and vapour.

(j) Flammability or explosive limits

Lower explosion limit: 5.5 % (v/v)
Upper explosion limit: 36.5 % (v/v)
(k) Vapour pressure: 128 hPa (20 °C)
(l) Vapour density: 1.11 (20 °C)

(m) Relative density: 0.7918 g/cm³ (20 °C)

(n) Solubility(ies)

Water solubility: soluble (20 °C)
Soluble (g/L) in Ethanol: no data available

(o) Partition coefficient: n-octanol/water: -0.77 (20 °C)

(p) Auto-ignition temperature: 455 °C (DIN 51794)

(q) Decomposition temperature: no data available

(r) Viscosity

Kinematic viscosity: no data available

Dynamic viscosity: 0.614 mPa\*s (20 °C)

(s) Explosive properties: not applicable (t) Oxidising properties: not applicable

## 9.2 Other information

Bulk density: no data available

Refraction index: 1.33066 (589 nm; 20 °C)

Dissociation constant:

Surface tension:

Henry's Law Constant:

no data available
no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapours can form explosive mixtures with air.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).





## 10.3 Possibility of hazardous reactions

Formation of explosive mixtures with:

Oxidising agent

Nitrogen oxides (NOx)

Material, oxygen-rich, oxidizing

Nitric acid

Chlorine

**Bromine** 

Exothermic reaction with:

Reducing agent

Acid

Acid halides

Alkali (lye), concentrated

Violent reaction with:

Alkali metals

Alkaline earth metal

Formation of:

Hydrogen

# 10.4 Conditions to avoid

UV-radiation/sunlight

Heat

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

# 10.5 Incompatible materials

light metals

Plastic articles

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## Acute effects

Acute oral toxicity:

LD50: > 5628 mg/kg - Rat - (IUCLID)

LDLo: > 143 mg/kg - Human - (RTECS)

Acute dermal toxicity:

LD50: > 15800 mg/kg - Rabbit

Acute inhalation toxicity:

TCLo: > 160 ppm (4h) - Human





#### Irritant and corrosive effects

Primary irritation to the skin: not applicable

Irritation to eyes: not applicable

Irritation to respiratory tract: not applicable

## Respiratory or skin sensitisation

In case of skin contact: not sensitising After inhalation: not sensitising

## STOT-single exposure

Causes damage to organs.

# STOT-repeated exposure

not applicable

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

## Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

## Reproductive toxicity

No indications of human reproductive toxicity exist.

## **Aspiration hazard**

not applicable

## Other adverse effects

no data available

# **SECTION 12: Ecological information**

## 12.1 Ecotoxicity

# Fish toxicity:

LC50: 24000 mg/l (96 h) - Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull.Environ.Contam.Toxicol. 37(4):615-621

# Daphnia toxicity:

LC50: 3290 mg/l (48 h) - Guilhermino, L., T. Diamantino, M.C. Silva, and A.M.V.M. Soares 2000. Acute Toxicity Test with Daphnia magna: An Alternative to Mammals in the Prescreening of Chemical Toxicity?. Ecotoxicol.Environ.Saf. 46(3):357-362

EC50: 24500 mg/l (48 h) - Randall, T.L., and P.V. Knopp 1980. Detoxification of Specific Organic Substances by Wet Oxidation. J.Water Pollut.Control Fed. 52(8):2117-2130





## Algae toxicity:

no data available

#### **Bacteria toxicity:**

no data available

# 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: -0.77 (20 °C)

## 12.4 Mobility in soil:

no data available

# 12.5 Results of PBT/vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6 Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

# Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

# Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1 UN-No.: 1230

14.2 Proper Shipping Name: METHANOL

14.3 Class(es): 3 (6.1)

Classification code: FT1
Hazard label(s): 3+6.1

14.4 Packing group: II

14.5 Environmental hazards: No

14.6 Special precautions for user:

Hazard identification number (Kemler 336

No.):

tunnel restriction code: D/

(Passage forbidden through tunnels of category D when carried in bulk or in tanks. Passage forbidden through

tunnels of category E.)





# Sea transport (IMDG)

14.1 UN-No.: 1230

14.2 Proper Shipping Name: METHANOL

14.3 Class(es): 3 (6.1)

Classification code:

Hazard label(s): 3+6.1

14.4 Packing group: II

14.5 Environmental hazards: No
Marine pollutant: No

14.6 Special precautions for user:

Segregation group:

EmS-No. F-E S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

# Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No.: 1230

14.2 Proper Shipping Name: METHANOL

14.3 Class(es): 3 (6.1)

Classification code:

Hazard label(s): 3+6.1

14.4 Packing group: II

14.5 Special precautions for user:





## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe)

CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures

DFG - German Research Foundation (Deutsche Forschungsgemeinschaft)

Gestis - Information system on hazardous substances of the German Social Accident Insurance

(Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung)

IATA-DGR - International Air Transport Association-Dangerous Goods Regulations

ICAO-TI - International Civil Aviation Organization-Technical Instructions

IMDG - International Maritime Code for Dangerous Goods

LTV - Long Term Value

NIOSH - National Institute for Occupational Safety and Health

OSHA - Occupational Safety & Health Administration

PBT - Persistent, Bioaccumulative and Toxic

RID - Regulation concerning the International Carriage of Dangerous Goods by Rail

STV - Short Term Value

SVHC - Substances of Very High Concern

vPvB - very Persistent, very Bioaccumulative

Training advice: Provide adequate information, instruction and training for operators.

## **Additional information**

Indication of changes: general update

If you need an explanation of the change, contact the supplier. (SDS@avantorsciences.com)

#### **Disclaimer**

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



# **RANKEM**