



Version: 1.1

Revision date: 21.08.2020

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation: Hexanes HPLC

Product No.: H0200 Synonymes: none

CAS No. not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: General chemical reagent

1.3 Details of the supplier of the safety data sheet

Supplier

Avantor Performance Materials India Ltd.

Street 501, 5th floor, Tiffany Building, Hiranandani Business Park,

Postal code/City Thane, Maharashtra - 400607, India

Telephone 022-41288100

Emergency phone number

Telephone 1800105561

Preparation Information

Product Information Compliance

1.4 E-mail SDS@avantorsciences.com





SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Physical hazards

Flammable liquid, category 2

Health hazards

Aspiration hazard, category 1 Reproductive toxicity, category 2 Specific target organ toxicity (repeated exposure), category 2⁽¹⁾

Environmental hazards

Hazardous to the aquatic environment, chronic, category 2

Target Organs

(1) no data available

2.2 Label elements Hazard pictograms



Signal word: Danger

Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Suspected of damaging fertility.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

Prevention

Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water/...

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Immediately call a POISON CENTER/doctor.

Storage:

Store in a well-ventilated place. Keep cool.

2.3 Other hazards The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.





SECTION 3: Composition / information on ingredients

Substances

not applicable

Mixtures

Hazardous ingredients

Substance name	Identifier	Concentration	Hazard classes and hazard categories
Cyclohexane	CAS No.: 110-82-7	< 3%	Flam. Liq. 2 - H225
			Asp. Tox. 1 - H304
			Skin Irrit. 2 - H315
			STOT SE 3 - H336
			Aquatic Chronic 1 - H410
n-Hexane	CAS No.: 110-54-3	45 - 60%	Flam. Liq. 2 - H225
			Asp. Tox. 1 - H304
			Skin Irrit. 2 - H315
			Repr. 2 - H361f
			STOT RE 2 - H373
			STOT SE 3 - H336
			Aquatic Chronic 2 - H411
Hexane (mixture of isomers)	CAS No.: 92112-69-1	15 - 40%	Flam. Liq. 2 - H225
			Asp. Tox. 1 - H304
			Skin Irrit. 2 - H315
			Repr. 2 - H361f
			STOT RE 2 - H373
			STOT SE 3 - H336
			Aquatic Chronic 2 - H411

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTRE/doctor. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.





After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray ABC-powder Carbon dioxide (CO2) Nitrogen

Extinguishing media which must not be used for safety reasons

no restriction

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated:

Pyrolysis products, toxic

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety.

6.2 Environmental precautions

Discharge into the environment must be avoided.





6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible:

Inhalation

skin contact

Eye contact

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CElabels including the four control digits must be worn.

Eve/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.





By short-term hand contact

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,12 mm
Breakthrough time:: > 480 min

By long-term hand contact

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,38 mm
Breakthrough time:: > 480 min

Respiratory protection no data available

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance

Physical state: liquid
Colour: colourless
(b) Odour: characteristic
(c) Odour threshold: no data available

Safety relevant basic data

(d) pH:
no data available
(e) Melting point/freezing point:
no data available
(f) Initial boiling point and boiling range:
66-69 °C (1013 hPa)
-18 °C (closed cup)
(h) Evaporation rate:
no data available

(i) Flammability (solid, gas): Highly flammable liquid and vapour.

(j) Flammability or explosive limits

Lower explosion limit:

Upper explosion limit:

(k) Vapour pressure:

(l) Vapour density:

(m) Relative density:

no data available

141.6 mmHg (20 °C)

no data available

0.674 g/cm³ (20 °C)

(n) Solubility(ies)

Water solubility:

Soluble (g/L) in Ethanol:

no data available
no data available
no data available

(p) Auto-ignition temperature: 290 °C

(q) Decomposition temperature: no data available

(r) Viscosity

Kinematic viscosity: 0.42 cSt (40 °C)
Dynamic viscosity: no data available
(s) Explosive properties: not applicable
(t) Oxidising properties: not applicable





9.2 Other information

Bulk density:

Refraction index:

Dissociation constant:

Surface tension:

Henry's Law Constant:

no data available
no data available
no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity:

Cyclohexane - LD50: < 5000 mg/kg - Rat - (IUCLID)

n-Hexane - LD50: 16000 mg/kg - Rat - (OECD 401)

n-Hexane - LD50: > 25000 mg/kg - Rat - (RTECS)

Hexane (mixture of isomers) - LD50: 25 g/kg - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

Acute dermal toxicity:

Cyclohexane - LD50: < 2000 mg/kg - Rabbit - (IUCLID)

n-Hexane - LD50: > 3350 mg/kg - Rabbit - (OECD 402)

Hexane (mixture of isomers) - LD50: 3000 mg/kg - Rabbit - (National Library of Medicine ChemID Plus (NLM CIP))

Acute inhalation toxicity:

Cyclohexane - LC50: 13.9 mg/l - Rat - (IUCLID)





n-Hexane - LC50: 259.3 mg/l - Rat - (OECD 403)

n-Hexane - LC50: 48000 ppm - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

Hexane (mixture of isomers) - LC50: 48000 ppm - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

Irritant and corrosive effects

Primary irritation to the skin:

not applicable

Irritation to eyes: not applicable

Irritation to respiratory tract: not applicable

Respiratory or skin sensitisation

In case of skin contact: not sensitising

After inhalation: not sensitising

STOT-single exposure

not applicable

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

Suspected of damaging fertility.

Aspiration hazard

May be fatal if swallowed and enters airways.

Other adverse effects

no data available





SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity:

Cyclohexane - LC50: 42.3 mg/l (96 h)

n-Hexane - LC50: 57.8 mg/l (96 h) - Geiger, D.L., L.T. Brooke, and D.J. Call 1990. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Volume 5. Ctr.for Lake Superior Environ.Stud., Univ.of Wisconsin-Superior, Superior, WI:332 p.

Hexane (mixture of isomers) - LC50: 57.8 mg/l (96 h) - Geiger, D.L., L.T. Brooke, and D.J. Call 1990. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Volume 5. Ctr.for Lake Superior Environ.Stud., Univ.of Wisconsin-Superior, Superior, WI:332 p.

Daphnia toxicity:

no data available

Algae toxicity:

no data available

Bacteria toxicity:

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

no data available





SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN-No.: 120814.2 Proper Shipping Name: HEXANES

14.3 Class(es): 3
Classification code: F1
Hazard label(s): 3
14.4 Packing group: II

14.5 Environmental hazards: Dangerous for the environment

14.6 Special precautions for user:

Hazard identification number (Kemler 33

No.):

tunnel restriction code: D/E

(Passage forbidden through tunnels of category D when carried in bulk or in tanks. Passage forbidden through

tunnels of category E.)

Sea transport (IMDG)

14.1 UN-No.: 120814.2 Proper Shipping Name: HEXANES

14.3 Class(es): 3

Classification code:

Hazard label(s): 3
14.4 Packing group: II

14.5 Environmental hazards: Dangerous for the environment

Marine pollutant: Yes (P)

14.6 Special precautions for user:

Segregation group:

EmS-No. F-E S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant





Air transport (ICAO-TI / IATA-DGR)

LIN-No :	1208
Proper Shipping Name:	HEXANES
Class(es):	3
Classification code:	
Hazard label(s):	3
Packing group:	II





SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16: Other information

Abbreviations and acronyms

H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H361f - Suspected of damaging fertility.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

H411 - Toxic to aquatic life with long lasting effects.

ACGIH - American Conference of Governmental Industrial Hygiensts

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe)

CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures

DFG - German Research Foundation (Deutsche Forschungsgemeinschaft)

Gestis - Information system on hazardous substances of the German Social Accident Insurance

(Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung)

IATA-DGR - International Air Transport Association-Dangerous Goods Regulations

ICAO-TI - International Civil Aviation Organization-Technical Instructions

IMDG - International Maritime Code for Dangerous Goods

LTV - Long Term Value

NIOSH - National Institute for Occupational Safety and Health

OSHA - Occupational Safety & Health Administration

PBT - Persistent, Bioaccumulative and Toxic

RID - Regulation concerning the International Carriage of Dangerous Goods by Rail

STV - Short Term Value

SVHC - Substances of Very High Concern

vPvB - very Persistent, very Bioaccumulative

Training advice: Provide adequate information, instruction and training for operators.

Classification according to Regulation (EC) No 1272/2008 [CLP] Classification procedure

Hazard statements	Hazard classes and hazard categories	Classification procedure
H225	Flam. Liq. 2	Data obtained by expert
		judgement.
H304	Asp. Tox. 1	Calculation method.
H361f	Repr. 2	Calculation method.
H373	STOT RE 2	Calculation method.
H411	Aquatic Chronic 2	Calculation method.

Additional information





Indication of changes

general update

If you need an explanation of the change, contact the supplier.

(SDS@avantorsciences.com)

Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.