



Version: 1.1

Revision date: 10.12.2020

# **Safety Data Sheet**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifier**

Trade name/designation: Product No.: Synonymes: CAS No. N - Butyl Acetate laboratory reagent B0440 Acetic acid butyl ester 123-86-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

General chemical reagent

## 1.3 Details of the supplier of the safety data sheet

## Supplier

Avantor Performance Materials India Ltd. Street Postal code/City Telephone	501, 5th floor, Tiffany Building, Hiranandani Business Park, Thane, Maharashtra - 400607, India 022-41288100
Emergency phone number	
Telephone	1800105561
Preparation Information Product Information Compliance	
1.4 E-mail	SDS@avantorsciences.com



# **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

#### **Physical hazards**

Flammable liquid, category 3

#### Health hazards

Specific target organ toxicity (single exposure), category 3, narcotic effect

# 2.2 Label elements

#### Hazard pictograms



## Signal word: Warning

Flammable liquid and vapour. May cause drowsiness or dizziness.

## Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.

#### **Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/.../if you feel unwell.

2.3 Other hazards This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# **SECTION 3: Composition / information on ingredients**

#### Substances

Substance name	Butyl acetate
Molecular formula	CH <sub>3</sub> COO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub>
Molecular weight	116.16 g/mol
CAS No.	123-86-4

# **SECTION 4: First aid measures**

#### 4.1 General information

IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.





## After inhalation

Call a POISON CENTRE/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

#### In case of ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

- **4.2 Most important symptoms and effects, both acute and delayed** no data available
- 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Water spray ABC-powder Carbon dioxide (CO2) Nitrogen

Extinguishing media which must not be used for safety reasons no restriction

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

# 5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen. Use water spray jet to protect personnel and to cool endangered containers. In case of fire: Evacuate area.



## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety.

#### 6.2 Environmental precautions

Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

#### 6.4 Additional information

Clear spills immediately.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid: Inhalation Avoid contact with eyes and skin. Use extractor hood (laboratory). If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Handle under (Gas): Nitrogen

#### 7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Keep bottles tightly closed and away from sources of ignition and heat.

Keep container tightly closed and in a well-ventilated place. Keep/Store away from combustible materials.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.





## Personal protection equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CElabels including the four control digits must be worn.

#### Eye/face protection

Eye glasses with side protection

#### Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact	
Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	-
Breakthrough time::	27 min
Dealers a tenne les esterat	
By long-term hand contact	
By long-term hand contact Suitable material:	PE (polyethylene)
	PE (polyethylene) -
Suitable material:	PE (polyethylene) - > 480 min

Respiratory protection no data available

#### Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available



# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Colour:	colourless
(b) Odour:	no data available
(c) Odour threshold:	no data available

# Safety relevant basic data

(d) pH:	7 (20 °C)
(e) Melting point/freezing point:	-76 °C
(f) Initial boiling point and boiling range:	126 °C (1013 hPa)
(g) Flash point:	25 °C
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	Flammable liquid and vapour.
(j) Flammability or explosive limits	
Lower explosion limit:	1.3 % (v/v)
Upper explosion limit:	10.4 % (v/v)
(k) Vapour pressure:	14 hPa (20 °C)
(I) Vapour density:	4 (20 °C)
(m) Relative density:	0.875 g/cm³ (20 °C)
(n) Solubility(ies)	
Water solubility:	7 g/l (20 °C)
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	1.78 (20 °C)
(p) Auto-ignition temperature:	370 °C
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	0.74 mPa*s (20 °C)
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

# 9.2 Other information

Bulk density:	no data available
Refraction index:	1.3939 (589 nm; 20 °C)
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature).



# 10.3 Possibility of hazardous reactions

no data available

# 10.4 Conditions to avoid

no data available

# 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute effects

Acute oral toxicity: LD50: > 13100 mg/kg - Rat - (IUCLID)

Acute dermal toxicity: LD50: < 14100 mg/kg - Rabbit - (IUCLID)

Acute inhalation toxicity: LC50: 390 ppm - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

# Irritant and corrosive effects

Primary irritation to the skin: not applicable

*Irritation to eyes:* not applicable

*Irritation to respiratory tract:* not applicable

# Respiratory or skin sensitisation

In case of skin contact: not sensitising After inhalation: not sensitising

# STOT-single exposure

May cause drowsiness or dizziness.

# STOT-repeated exposure

not applicable

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

# Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

# **Reproductive toxicity**

No indications of human reproductive toxicity exist.





Aspiration hazard not applicable

Other adverse effects no data available

# **SECTION 12: Ecological information**

#### 12.1 Ecotoxicity

#### Fish toxicity:

LC50: 81 mg/l (96 h) - Wellens, H. 1982. Comparison of the Sensitivity of Brachydanio rerio and Leuciscus idus by Testing the Fish Toxicity of Chemicals and Wastewaters. Z.Wasser-Abwasser-Forsch. 51(2):49-52 (GER) (ENG ABS)

### Daphnia toxicity:

no data available

Algae toxicity: no data available

Bacteria toxicity: no data available

## 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: 1.78 (20 °C)

# 12.4 Mobility in soil:

no data available

# 12.5 Results of PBT/vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# 12.6 Other adverse effects

no data available



# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal. Send to a hazardous waste incinerator facility under observation of official regulations.

# Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself.

# SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1	UN-No.:	1123
14.2	Proper Shipping Name:	BUTYL ACETATES
14.3	Class(es):	3
	Classification code:	F1
	Hazard label(s):	3
14.4	Packing group:	III
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	Hazard identification number (Kemler	30
	No.):	
	tunnel restriction code:	D/E
		(Passage forbidden through tunnels of category D when carried in bulk or in tanks. Passage forbidden through

tunnels of category E.)

# Sea transport (IMDG)

14.1	UN-No.:	1123
14.2	Proper Shipping Name:	BUTYL ACETATES
14.3	Class(es):	3
	Classification code:	
	Hazard label(s):	3
14.4	Packing group:	111
14.5	Environmental hazards:	No
	Marine pollutant:	No
14.6	Special precautions for user:	
	Segregation group:	-
	EmS-No.	F-E S-D
14.7	Transport in bulk according to Annex II of M. not relevant	ARPOL 73/78 and the IBC Code



# Air transport (ICAO-TI / IATA-DGR)

14.1	UN-No.:	1123
14.2	Proper Shipping Name:	BUTYL ACETATES
14.3	Class(es):	3
	Classification code:	
	Hazard label(s):	3
14.4	Packing group:	III
14.5	Special precautions for user:	



# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe) CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures DFG - German Research Foundation (Deutsche Forschungsgemeinschaft) Gestis - Information system on hazardous substances of the German Social Accident Insurance (Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung) IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health OSHA - Occupational Safety & Health Administration PBT - Persistent, Bioaccumulative and Toxic RID - Regulation concerning the International Carriage of Dangerous Goods by Rail STV - Short Term Value SVHC - Substances of Very High Concern vPvB - very Persistent, very Bioaccumulative

Training advice: Provide adequate information, instruction and training for operators.

# Additional information

Indication of changes: Section 3

If you need an explanation of the change, contact the supplier. (SDS@avantorsciences.com)

#### Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS THE PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGE OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

