




















Access Point (Zyxel) Buy 4 Get 1 Free *สอบถามรายละเอียด 02-294-6776 Sales@dtci.co.th*

Image	Model Name	Specification
	NWA1100-NH	<p><i>High Power Long Range PoE Business Access Point 802.11b/g/n (External Antenna 5dBi)</i></p> <ul style="list-style-type: none"> • รองรับ Wireless N300 • รองรับ PoE ตามมาตรฐาน IEEE 802.3af + 1 Gigabit LAN • รองรับการบริหารจัดการด้วย ZYXEL AP Configurator (ZAC) • Advanced Replacement Service (ARS) เปลี่ยนสินค้าส่งมอบทันที ฟรี 1 ปี ไม่ต้องรอเคลม
	NWA1123-AC v2	<p><i>802.11ac Dual-Radio Ceiling Mount PoE Access Point (AC1200)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1200Mbps (2.4+5GHz), 2x2 MIMO • รองรับโหมดการทำงาน Standalone และ Cloud Management (Nebula Free Cloud) • รองรับ PoE ตามมาตรฐาน IEEE 802.3af • Advanced Replacement Service (ARS) เปลี่ยนสินค้าส่งมอบทันที ฟรี 1 ปี ไม่ต้องรอเคลม
	NWA1123-AC HD	<p><i>802.11ac Wave 2 Dual-Radio Standalone Access Point (AC1600)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1600Mbps (2.4+5GHz), 3x3 SU/MU-MIMO • รองรับโหมดการทำงาน Standalone และ Cloud Management (Nebula Free Cloud) • 802.11ac Beamforming (Transmit Beamforming) • รองรับ PoE ตามมาตรฐาน IEEE 802.3af • Advanced Replacement Service (ARS) เปลี่ยนสินค้าส่งมอบทันที ฟรี 1 ปี ไม่ต้องรอเคลม
	NWA1123-AC PRO	<p><i>802.11ac Dual Radio Dual-optimized Antenna 3x3 Access Point (AC1750)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1750Mbps (2.4+5GHz), 3x3 MIMO • รองรับโหมดการทำงาน Standalone และ Cloud Management (Nebula Free Cloud) • Dual-optimized Antenna สามารถปรับ Antenna Pattern ตามการติดตั้งฝ้าเพดานหรือผนัง • รองรับการจ่ายไฟ PoE ตามมาตรฐาน IEEE 802.3af ฟ้า นั้น (ไม่มี Adapter) ต้องใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ใดๆ (Included PoE Injector) • Advanced Replacement Service (ARS) เปลี่ยนสินค้าส่งมอบทันที ฟรี 1 ปี ไม่ต้องรอเคลม

	NWA1302-AC	<p><i>802.11ac Wall-Plate Unified Access Point (AC1200)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1200 Mbps (2.4+5GHz), 2x2 MIMO • รองรับโหมดการทำงาน Standalone และ Cloud Management (Nebula Free Cloud) • 1 x 100/1000 Mbps POE port (PD) • 3 x 100/1000 Mbps RJ-45 (including one 7W PoE PSE to provide PoE for IP Phone) • Smart Antenna • Advanced Replacement Service (ARS) เปลี่ยนสินค้าตรงหน้าพื้นที่ ฟรี 1 ปี ไม่ต้องรอเคลม
	NWA5123-AC	<p><i>802.11 a/b/g/n/ac Dual-Radio Unified Ceiling Access Point (AC1200)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1166Mbps (2.4+5GHz) • IEEE 802.3af PoE supported • Embedded 2x2 3dBi/4dBi antenna (2.4/5GHz) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • Included DC adapter
	NWA5123-AC HD	<p><i>802.11ac Wave 2 Dual-Radio Unified Access Point (AC1600)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1600Mbps (2.4+5GHz), 3x3 SU/MU-MIMO • Tri-Mode design Standalone/Managed AP /Cloud Management (Free 3YR Nebula Professional license) • Support WLAN controller NXC2500/5500 • 802.11ac Beamforming (Transmit Beamforming) • Support Standard PoE (not included DC adapter) compatible with PoE12-HP/PoE Switch
	NWA5301-NJ	<p><i>802.11 b/g/n Wall-Plate Unified Access Point (N300)</i></p> <ul style="list-style-type: none"> • Support data rate up to 300Mbps • 1 Port 10/100 uplink with IEEE 802.3af PoE supported • 3 x 10/100 Mbps RJ-45 ports (including one 7W PoE PSE to provide PoE for IP Phone) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • Support Standard PoE (not included DC adapter) compatible with PoE12-HP/PoE Switch
	WAC5302D-S	<p><i>802.11ac Wall-Plate Unified Access Point (AC1200)</i></p> <ul style="list-style-type: none"> • Support data rate up to 1166Mbps (2.4+5GHz) • 1 x 100/1000 Mbps POE port (PD)

		<ul style="list-style-type: none"> • 3 x 100/1000 Mbps RJ-45 (including one 7W PoE PSE to provide PoE for IP Phone) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • Smart Antenna • Support Standard PoE (not included DC adapter) compatible with PoE12-HP/PoE Switch
	<p>WAC6103D-I</p>	<p>802.11ac Dual Radio Dual-optimized Antenna 3x3 Access Point (AC1200)</p> <ul style="list-style-type: none"> • Support data rate up to 1750Mbps (2.4+5GHz) • Dual-optimized Antenna 3x3 4dBi/5dBi antenna (2.4/5GHz) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • Support Standard PoE (not included DC adapter) compatible with PoE12-HP/PoE Switch
	<p>WAC6303D-S</p>	<p>802.11ac Wave 2 Dual-Radio Unified Pro Access Point with Smart Antenna (AC1750)</p> <ul style="list-style-type: none"> • Support data rate up to 1600Mbps (2.4+5GHz), 3x3 SU/MU-MIMO • Smart antenna 3dBi/4dBi antenna (2.4/5GHz) • 802.11ac Beamforming (Transmit Beamforming) • Tri-Mode design Standalone/Managed AP /Cloud Management (Free 3YR Nebula Professional license) • Support WLAN controller NXC2500/5500 • Support Standard PoE (not included DC adapter) compatible with PoE12-HP/PoE Switch
	<p>WAC6502D-E</p>	<p>802.11ac Dual Radio External antenna 2x2 Access Point (AC1200)</p> <ul style="list-style-type: none"> • Support data rate up to 1166Mbps (2.4+5GHz) • External antenna 2x2 5dBi/7dBi antenna (2.4/5GHz) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • สินค้า WAC Series ทุกชนิดไม่มี Power Adapter ต้องใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ใด ๆ ก็ตาม
	<p>WAC6502D-S</p>	<p>802.11ac Dual Radio Smart Antenna 2x2 Access Point (AC1200)</p> <ul style="list-style-type: none"> • Support data rate up to 1166Mbps (2.4+5GHz) • Smart antenna 2x2 4dBi/6dBi antenna (2.4/5GHz) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • สินค้า WAC Series ทุกชนิดไม่มี Power Adapter ต้องใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ใด ๆ ก็ตาม

	<p>WAC6503D-S</p>	<p>802.11ac Dual Radio Smart Antenna 3x3 Access Point (AC1750)</p> <ul style="list-style-type: none"> • Support data rate up to 1750Mbps (2.4+5GHz) • Smart antenna 3x3 4dBi/6dBi antenna (2.4/5GHz) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • สินค้า WAC Series ทุกรุ่นไม่มี Power Adapter ต้องใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ใด ๆ รุ่น
	<p>WAC6553D-E</p>	<p>802.11ac Dual Radio Outdoor Access Point (AC1750)</p> <ul style="list-style-type: none"> • Support data rate up to 1750Mbps (2.4+5GHz) • 6 N-type connectors for external antenna (antenna not included) • 2-in-1 design Standalone/Managed AP mode, support WLAN controller NXC2500/5500 • (PoE Injector not included) • รองรับการใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ของ ZYXEL ใด ๆ รุ่น
	<p>Nebula Cloud Manage NAP102</p>	<p>802.11ac 2x2 Dual-Radio Nebula Cloud Managed AP, with 3YR Professional license</p> <ul style="list-style-type: none"> • Supports combined data rates of up to 1200 Mbps • Self-configuration and zero-touch deployment • Dynamic Channel Selection, Load Balancing and Smart Client Steering • Captive portal, RADIUS authentication, Social Login with Facebook • Advanced Replacement Service (ARS) เปลี่ยนสินค้าอย่างทันที ฟรี 1 ปี ไม่ต้องรอเคลม
	<p>Nebula Cloud Manage NAP203</p>	<p>802.11ac 3x3 Dual-Radio Nebula Cloud Managed AP with 3YR Professional license</p> <ul style="list-style-type: none"> • Supports combined data rates of up to 1,750 Mbps • Self-configuration and zero-touch deployment • Dynamic Channel Selection, Load Balancing and Smart Client Steering • Captive portal, RADIUS authentication, Social Login with Facebook
	<p>Nebula Cloud Manage NAP303</p>	<p>802.11ac 3x3 Dual-Radio Smart Antenna Nebula Cloud Managed AP, with 3YR Professional license</p> <ul style="list-style-type: none"> • Supports combined data rates of up to 1,750 Mbps • Self-configuration and zero-touch deployment • Dynamic Channel Selection, Load Balancing and Smart Client Steering • Captive portal, RADIUS authentication, Social Login with Facebook

	<p>Nebula Cloud Manage NAP353</p>	<p><i>802.11ac 3x3 Dual-Radio Outdoor Nebula Cloud Managed AP, with 3YR Professional license</i></p> <ul style="list-style-type: none"> • Supports combined data rates of up to 1,750 Mbps • 6 N-type connectors for external antenna (antenna not included) • Self-configuration and zero-touch deployment • Dynamic Channel Selection, Load Balancing and Smart Client Steering • Captive portal, RADIUS authentication, Social Login with Facebook • Included Pole/wall mounting kits
---	---	--