

# Safety Data Sheet

L-CKD Heavy Duty Industrial Gear Oil 320

#### **SECTION 1. Identification**

GHS product identifier: L-CKD Heavy Duty Industrial Gear Oil 320

Other means of identification: See Section 3
Product Code 60196464

Recommended use of the chemical and restrictions on use:

Recommended use: Suitable for lubrication of various closed gear transmission system working in severe

conditions in such industries as steel, cement, power, mining and so on; Suitable for circulation lubrication system combined spur gear, bevel gear, spiral bevel gear and

bearing.

Recommended Restrictions: Not available.

Supplier's details:

Supplier(Manufacturer): SINOPEC LUBRICANT CO.,LTD.

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Post Code 100085

Contact person(E-mail): csc.lube@sinopec.com

 Telephone:
 86-400-810-9886

 Fax:
 86-10-82410856

 Emergency phone number:
 86-400-810-9886

### **SECTION 2. Hazards identification**

Classification of the substance or mixture:

Physical hazards: Not classified
Health hazards: Not classified
Environmental hazards: Not classified
GHS label elements, including precautionary statements:

**Hazard Pictograms:** No hazard pictogram is used. **Signal word:** No signal word is used.

Hazard statement: Not applicable.

**Precautionary statement:** 

Prevention:

Response:

Storage:

Disposal:

Other hazards which do not result in

Not applicable

Not applicable

Not applicable

classification:

### **SECTION 3. Composition/information on ingredients**

Chemical nature: Blend of mineral oil and additives.

Hazardous components:

Chemical Name	Synonyms	CAS No.	Concentration (% w/w)
	C11-14-branched alkyl,		
Amines	monohexyl and	80939-62-4	0.1-0.5
	dihexyl phosphates		

Product name: L-CKD Heavy Duty Industrial Gear Oil 320 SDS GHS UN
Version #: 1.0 Issue date: 03-01-2022. Revision date: 03-01-2022 1 / 6



#### **SECTION 4. First aid measures**

#### Description of necessary first-aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

In case of inhalation: No specific first aid measures are required. If exposed to excessive levels of material in

the air, move the exposed person to fresh air. Get medical attention if coughing or

respiratory discomfort occurs.

In case of skin contact: No specific first aid measures are required. As a precaution, remove clothing and

shoes if contaminated. To remove the material from skin, use soap and water. Discard

contaminated clothing and shoes or thoroughly clean before reuse.

In case of eyes contact: Rinse the eyes with plenty of water.

In case of ingestion: Clean mouth with water and drink plenty of water.

Most important symptoms/effects, acute

and delayed:

The product is not classified as harmful to human health effect.

Indication οf immediate medical attention and special treatment needed,

if necessary:

If skin irritation or rash occurs, get medical advice/attention.

## **SECTION 5. Fire-fighting measures**

Suitable extinguishing media: Use water fog, foam, dry chemical or carbon dioxide to extinguish flames.

Unsuitable extinguishing media: Water.

Specific hazards arising from the

chemical:

In case of heat, fire and strong oxidants can lead to burning. Fumes, smoke, carbon

monoxide, sulfur oxides, aldehydes, nitrogen oxides, phosphate, certain metal.

Special protective actions for

fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Provide adequate ventilation. Avoid skin and eye contact. Refer to section 8 of SDS for

personal protection details.

For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental

permits.

Methods and materials for containment

and cleaning up:

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent

with applicable regulations.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Additional information: Not applicable.

### **SECTION 7. Handling and storage**

Product name: L-CKD Heavy Duty Industrial Gear Oil 320 SDS GHS UN Revision date: 03-01-2022. Version # 1.0 2/6

Issue date: 03-01-2022



Precautions for safe handling: Provide good ventilation. Prevent electrostatic charge - sources of ignition should be

> kept well clear - fire extinguishers should be kept handy. Avoid contact with skin and eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke.

Wash hands thoroughly after handling.

Conditions for safe storage, including

any incompatibilities:

Eye/face protection:

Skin protection:

Store in tightly closed original container in a dry, cool and well-ventilated place.

Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

## **SECTION 8. Exposure controls/personal protection**

**Control parameters:** Not available

Appropriate engineering controls: Use in a well-ventilated area.

Individual protection measures, such as personal protective equipment (PPE):

No special eye protection is normally required. Where splashing is possible, wear

safety glasses with side shields as a good safety practice.

No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves

include: Neoprene. Nitrile Rubber.

No respiratory protection is normally required. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not

Respiratory protection: provide adequate protection.

Thermal hazards: Wear suitable protective clothing to prevent heat.

# SECTION 9. Physical and chemical properties and safety characteristics

Appearance:

Physical state: Yellow to brown transparent oily liquid

Form: Liquid

Color: Yellow to brown

Odorless or slight odor Odor:

Melting point/ freezing point: Not available Boiling point or initial boiling point and > 280 °C (typ)

boiling range:

Not available

Flammability: Lower and upper explosion limit / Not available

flammability limit:

230 °C (open cup) (typ) Flash point:

Auto-ignition temperature: >260°C

Product name: L-CKD Heavy Duty Industrial Gear Oil 320 SDS GHS UN Revision date: 03-01-2022. Issue date: 03-01-2022 Version # 10

3/6



Decomposition temperature: Not available PH: Not available

Kinematic viscosity: 288 mm/s<sup>2</sup> - 352 mm/s<sup>2</sup> (40°C)

Solubility: Soluble in hydrocarbon solvents; insoluble in water

> 6 (estimated value)

Partition coefficient n-octanol/water (log

value):

Vapor pressure: <0.5MPa(40°C)

Density and/or relative density: 0.88 kg/l - 0.93 kg/l(20°C)

Relative vapour density: >1(air=1) Particle characteristics: Not available Molecular weight: Not available Molecular formula: Not available **Explosiveness:** Not explosive Oxidising properties: Not oxidizing

# **SECTION 10. Stability and reactivity**

Reactivity: The substance is stable under normal storage and handling conditions.

This material is considered stable under normal ambient and anticipated storage and Chemical stability:

handling conditions of temperature and pressure.

Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use.

Conditions to avoid: Contact with incompatible materials.

Incompatible materials: May react with strong acids or strong oxidizing agents, such as chlorates, nitrates,

peroxides, etc.

Hazardous decomposition products: None known (None expected).

# **SECTION 11. Toxicological information**

Acute toxicity:

LD50(Oral, Rat): > 5000 mg/kg bw LD50(Dermal, Rabbit): > 5000 mg/kg bw LC50(Inhalation, Rat): > 10000 mg/m<sup>3</sup> bw Skin corrosion/Irritation: Not classified Serious eye damage/irritation: Not classified Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Not classified Not classified Carcinogenicity: Reproductive toxicity: Not classified STOT- single exposure: Not classified Not classified STOT-repeated exposure: Not classified Aspiration hazard:

## **SECTION 12. Ecological information**

## Toxicity:

Highly refined mineral oil (CAS: 64742-44-5):

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LL50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
LL50	> 10000 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

isopropanol (CAS: 67-63-0):

Product name: L-CKD Heavy Duty Industrial Gear Oil 320 SDS GHS UN Revision date: 03-01-2022. Version # 1.0 Issue date: 03-01-2022



Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	9640 mg/L -	96h	Fish	OECD 203	N/A	N/A
	10000 mg/L					
LC50	> 10000 mg/L	24h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulative potential: Bioaccumulation is unlikely due to the very low water solubility of this product; therefore

bioavailability to aquatic organisms is minimal.

Mobility in soil: When released into the environment, adsorption to sediment and soil will Be the

predominant behavior.

Results of PBT&vPvB assessment: No data available.

Other adverse effects: No data available.

# **SECTION 13. Disposal considerations**

Disposal methods: The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

If empty container retains product residues, all label precautions must be observed.

Return for reuse or dispose according to national or local regulations.

# **SECTION 14. Transport information**

	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard class(es)	Not regulated	Not regulated	Not regulated
Packing group, if applicable	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Special precautions for user	See section 2	See section 2	See section 2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated

# **SECTION 15. Regulatory information**

Safety, health and environmental regulations specific for the product in question:

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China	Yes
	(IECSC)	
Europe	European Inventory of Existing Commercial Chemical	Yes
	Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances	Yes

Product name: L-CKD Heavy Duty Industrial Gear Oil 320

Version #: 1.0 Issue date: 03-01-2022 Revision date: 03-01-2022. 5 / 6



(ENCS)

Korea Existing Chemicals List (ECL) Yes

New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Yes

Substances (PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **SECTION 16. Other information**

The date of preparation of the latest revision of the SDS:

Version 1.0 Amended by GHS rev 9 on MAY 2023

Legend to abbreviations and acronyms used in the SDS:

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by

Road

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

(European law)

IMDG: International Maritime Dangerous Goods

EINECS: European Inventory of Existing commercial Chemical Substances

IATA: International Air Transport Association

ICAO-TI: International Civil Aviation Organization 《The International Civil Aviation Covenant》

(ICAO)

CAS: Chemical Abstracts Service LC50: Lethal Concentration 50

EC50: Concentration for 50% of maximal effect

LD50: Lethal dose 50%

References and sources for data used to compile the SDS:

The European Chemicals Agency

Product name: L-CKD Heavy Duty Industrial Gear Oil 320 SDS GHS UN Version #: 1.0 Issue date: 03-01-2022 Revision date: 03-01-2022. 6 / 6