


Light is my life.







KOMLIGHT

Aluminum LED Profile







Step 1




Step 2












Aluminum profile



End cap with hole End cap without hole






LED Driver












PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



Adjustble bracket





LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



180 degrees connector



90 degrees connector




Mounting clip(PC)










Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover 60 degrees



End cap with hole End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



180 degrees connector



90 degrees connector



ALP004-RL





Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover 30 degrees



End cap with hole End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



180 degrees connector



90 degrees connector


KOMLIGHT







Step 2



Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver

KOMLIGHT












PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



Step 1 Step 2





Step 4



Step 2 Step 3



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



180 degrees connector



90 degrees connector



Mounting clip(PC)



Mounting clip(metal)






ALP005



Aluminum profile



PMMA opal matte cover PMMA semi-clear cover



End cap with hole End cap without hole



Mounting clip(PC)



Mounting clip(metal)



LED Strip: 2835LED 70LEDs/M, 14W/M




LED Driver








Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



Step 1



Step 2



Step 3



Step 4













Aluminum profile









Step 3

End cap with hole Mounting clip(metal) End cap without hole

Step 4











PC) LED Strip: 2835LED 70LEDs/M, 14W/M

LED Driver











PMMA opal matte cover PMMA semi-clear cover



End cap with hole End cap without hole



Mounting clip(metal)



Steel wire



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



Step 1



Step 2



Step 3



Step 4



Step 5



Step 6











Step 3















Step 5



Step 6







End cap with hole End cap without hole


LED Strip: 2835LED 120LEDs/M, 24W/M


LED Driver











End cap with hole End cap without hole



Aluminum profile




Aluminum profile(for strips)



Mounting profile



LED Strip: 2835LED 120LEDs/M. 24W/M



PMMA clear cover (lens,45 degrees)



End cap with hole End cap without hole



LED Driver





Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole




LED Strip:3528 LED 120 LEDs/M, 9.6W/M



LED Driver











PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Adjustble bracket



Mounting clip(PC)



Mounting clip(metal)



LED Strip:3528 LED 120 LEDs/M, 9.6W/M




LED Driver



ALP015-R



Aluminum profile



PMMA opal matte cover PMMA semi-clear cover



End cap with hole End cap without hole




Mounting clip(metal)




LED Strip, 2835 LED 140LEDs/M, 28W/M




LED Driver







Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



90 degrees joining connector



180 degrees joining connector



Step 1



Step 2



90 degrees inside connector



157 degrees outside connector



Mounting clip(metal)



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver




Step 3



Step 4










Step 2













PMMA opal matte cover PMMA semi-clear cover PC diffused cover

End cap with hole End cap without hole









Mounting clip

LED Strip, 2835 LED 140LEDs/M, 28W/M

LED Driver

Step 4

Step 5

Step 6











120 degrees coupler




180 degrees coupler



End cap without hole



Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



90 degrees connecting



120 degrees connecting



180 degrees connecting



Steel wire



Mounting clip(metal)



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver



ALP021



Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



LED Strip: 2835LED 120LEDs/M, 24W/M



LED Driver









PC Frosted cover



End caps



LED Strip: 3528LED 120LEDs/M, 9.6W/M



LED Driver









Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover



End cap with hole End cap without hole



LED Strip: 2835LED 70LEDs/M, 14W/M




LED Driver

KOMLIGHT



ALP024-R





Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap




Blind PVC cover



LED Strip: 2835LED 70LEDs/M, 14W/M




LED Driver











PC diffused cover



End caps with hole or without hole



Mounting clip(metal)



LED Strip: 3528LED 120LEDs/M, 9.6W/M



LED Driver











PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



LED Strip: 3528LED 120LEDs/M, 9.6W/M



LED Driver







End cap with hole End cap without hole



Mounting clip(metal)



Rigid LED light bar



PMMA frosted+lightdense white



LED Driver



End cap with hole End cap without hole



Mounting clip(metal)



Rigid LED light bar



PMMA frosted+lightdense white



LED Driver





Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Steel wire



Metal clip



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver

KOMLIGHT









Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Steel wire



Metal clip



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver

KOMLIGHT



ALP029



Aluminum profile



PC diffused cover



End cap without hole



Steel wire



Metal clip




LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver











PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Spring clip




LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver





Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap without hole



Steel wire



Mounting clip(metal)



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver



KOMLIGHT









Aluminum profile



PC diffused cover



End cap with hole End cap without hole




LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver











PC diffused cover



End cap with hole End cap without hole



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver



Step 1




Step 2



Step 3







13,2





PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



LED Strip: 2835LED 120LEDs/M, 24W/M



LED Driver









Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



LED Strip: 2835LED 120LEDs/M, 24W/M



LED Driver









Step 2



Step 3



Step 4




Step 5



Step 6



Aluminum profile



PC diffused cover(milky) PC semi-clear cover



End cap with hole End cap without hole



Mounting clip



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver







Aluminum profile



PC diffused cover(milky) PC semi-clear cover



End cap without hole



90 degrees connnecting



Steel wire



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver











PC diffused cover(milky) PC semi-clear cover



End cap with hole End cap without hole



Mounting clip



LED Strip: 2835LED 210LEDs/M, 42W/M



LED Driver











PC diffused cover(milky) PC semi-clear cover



End cap without hole




Mounting clip



LED Strip: 2835LED 210LEDs/M, 42W/M



LED Driver



Step 1



Step 2



Step 3



Step 4



Step 5



Step 6













PMMA opal matte cover PMMA semi-clear cover PC diffused cover



Aluminium End Cap without hole



Spring clip



Connector T



Connector L



Connector X



Connector IL




LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver











PMMA opal matte cover PMMA semi-clear cover PC diffused cover



Aluminium End Cap without hole



Steel wire



Mounting clip(metal)



Connector T



Connector L



Connector X



Connector IL



LED Strip, 2835 LED 140LEDs/M, 28W/M



LED Driver



ALP045-R



Aluminum profile



PC diffused cover



Aluminium End Cap without hole



Stainless Clip



Connector T



Connector L



Connector X



Connector IL



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver

KOMLIGHT



ALP046-R



Aluminum profile



PC diffused cover



Aluminium End Cap without hole



Steel wire



Stainless Clip



Connector T



Connector L



Connector X



Connector IL



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver



ALP047-R1



Aluminum profile



PC diffused cover



Aluminium End Cap without hole



Stainless Clip



LED Strip: 2835LED 210LEDs/M, 42W/M



LED Driver



Connector T



Connector L



Connector X




Connector IL

KOMLIGHT

ALP048-R1







Aluminum profile



PC diffused cover



Aluminium End Cap without hole



Stainless Clip




steel wire



LED Strip: 2835LED 210LEDs/M, 42W/M



LED Driver



Connector T



Connector L



Connector X



Connector IL



ALP044-PC-R



Aluminum profile



PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



90 degrees joining connector



90 degrees connector



180 degrees joining connector



Straight connector



LED Strip: 2835LED 120LEDs/M, 24W/M




LED Driver











PC semi-clear cover PC diffused cover



End cap without hole



Mounting clip(metal)



LED Strip: 2835LED 120LEDs/M, 24W/M



LED Driver







Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover



End cap with hole End cap without hole



Mounting clip(metal)



LED Strip: 2835LED 70LEDs/M, 14W/M



LED Driver











Mounting Profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap without hole




LED Strip: 2835LED 70LEDs/M, 14W/M




LED Driver



ALP3030











Aluminum profile 1

Aluminum profile 2

Frosted PC cover

End cap without hole








LED Strip: 2835LED LED 120LEDs/M, 24W/M

LED Driver

Steel wire

KOMLIGHT

ALP6060-R





Aluminum profile



PC diffused cover PC semi-clear cover



End cap without hole



Steel wire




LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver











PC diffused cover(milky) PC semi-clear cover



End cap without hole



Steel wire



180 degrees connector



90 degrees connector



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver

KOMLIGHT

ALP057





Aluminum profile



PC diffused cover(milky) PC semi-clear cover



End cap without hole



Steel wire



LED Strip: 2835LED 210LEDs/M, 42W/M



LED Driver











PC Frosted cover



End cap without hole




Steel wire



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver








Aluminum profile



PC Frosted cover



End cap without hole



Steel wire



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver



ALP3880







PC Frosted cover



End cap without hole



LED Strip: 2835LED 140LEDs/M, 28W/M




LED Driver



Steel wire











PMMA opal matte cover



End cap without hole



LED Strip: 2835LED 140LEDs/M, 28W/M



LED Driver



Steel wire






Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap without hole



Metal clip





PC diffused cover



ALP065-T

End cap without hole



Steel wire



Metal clip







Aluminum profile



PMMA opal matte cover PMMA semi-clear cover PC diffused cover



End cap without hole



LED Strip: 2835LED 140LEDs/M, 28W/M




LED Driver




Steel wire



Metal clip



ALP068









Aluminum profile

PC diffused cover

End cap with hole End cap without hole





LED Strip: 3528LED 120LEDs/M, 9.6W/M

LED Driver

Step 1





Step 3

Step 2







Aluminum profile

PC diffused cover

End cap with hole End cap without hole







LED Strip: 3528LED 120LEDs/M, 9.6W/M


LED Driver



ALP070













Aluminum profile

PC diffused cover

End cap with hole End cap without hole






LED Strip: 3528LED 120LEDs/M, 9.6W/M

LED Driver









Aluminum profile



PC diffused cover



End cap with hole End cap without hole




LED Strip: 2835LED 120LEDs/M, 24W/M




LED Driver



ALP076















Aluminum profile 1

Aluminum profile 2

PC Frosted cover

End cap with hole End cap without hole












LED Strip: 3528LED 120LEDs/M, 9.6W/M


LED Driver

90 degrees inside connector

90 degrees outside connector



KOMLIGHT











KOMLIGHT NONGLAK JANTHONG (KWAN)

Mobile: 083-083-3403, 086-415-5030 E-mail: nonglukj@gmail.com, nonglukj@komlight.com

KomLight Co,,Ltd. Ramkhamhaeng 94 Road Saphan Sung Saphan Sung Bangkok 10240