



# iData T1

Enterprise-level Smart Terminal

## Thin, durable and portable, multifunctional working assistant

iData T1 is a new generation of enterprise-level smart terminals, with similar appearance and touch feeling to smart phones. In addition, the performance and reliability of the device surpass smart phones and reach enterprise-level standards. Whether employees are in the warehouse or fieldwork outdoors, they can always rely on this portable multifunctional terminal.

### "Thin" yet "strong"

The 5.5-inch full-screen light and thin PDA can be held in one hand. The appearance and feel are similar to smartphones. With the help of the Android system, employees can start work without training. The 1.5-meter drop-resistant, IP68 dust-proof and waterproof, make the device ultra-rugged quality to survives accident drops and bad weather outdoors.

### Enterprise-level data collection capabilities

The powerful scanning engine can quickly capture almost any 1D/2D barcode, even if the barcode is damaged or contaminated. The 13-megapixel rear camera can clearly take photos of goods, receipt documents, etc.

### Improve team capabilities with enterprise-grade software

By using iTalk, employees can communicate via voice call with Wi-Fi network and connect your team efficiently. Enterprise-level scanning software iScan Pro and text recognition software iWord enables employees to scan multiple barcodes, and extract text from any forms quickly.



Store Management



Inventory management



E-commerce shipment



Production management

# T1 Technical Specifications

## System Configuration

Processor	Octa-core 2.0GHz high-performance processor
Operating System	Android 10.0 (GMS)
Memory (ROM+RAM)	16GB + 2GB (standard), 64GB + 4GB (optional)
SIM	Two out of three SIM card slots, support dual SIM and dual standby * Two out of three SIM card slots: two cards can be held at the same time, Nano SIM card + Nano SIM card /Nano SIM card +TF card Wi-Fi Only: SIM not available
Expansion Slot	Micro SD card (up to 256 GB) Wi-Fi Only: Expansion slot not available
Display Screen	5.5-inch, resolution: 1440*720 pixels
Touch Screen	Industrial capacitive screen, support wet-hand operation/glove mode/multi-touch/gesture operation
Camera	13 megapixels of rear camera, 5 megapixels of front camera, support PDAF
Flashlight	800mA flashlight
Keypad	3 keypads in total: side scan key *2, side power key *1
Battery	3.85V lithium battery, with 5000mAh, undetachable
Audio	Built-in dual microphone (noise-canceling microphone)
Charging Method	Type-C charging and pin port charging, support 10W fast charging
Reminder	Vibration reminder/LED reminder/Audio reminder
Fingerprint Identification (Optional)	Support back fingerprint recognition
Vibrating Motor	Built-in vibrating motor
Sensors	G-sensor/ Proximity sensor/Light sensor
Intercom Function (Optional)	Support one-button PTT calls

## Structure Parameter

Dimension (L*W*D)	157mm*74mm*13.6mm
Weight	230g (including the battery)

## Environmental Parameter

Working Temperature	-20°C - 60°C *Do not charge under low temperature conditions for the safety concerns
Storage Temperature	-40°C - 60°C (without the battery)
Humidity	0 - 95% (no moisture condensation)
Drop Specification	Multiple drops to concrete floor from the height of 1.5m
Ingress Protection	IP65
ESD Protection	±15KV (air discharge), ±8KV (contact discharge)

## Accessories (More details in accessories guide)

Standard Accessories	USB cable*1, hand strap *1, power adapter*1
Optional Accessories	Single charging cradle, 4-slot charging cradle, fanny pack, protective case, protective film

## Scanning Engine

Barcode Type	It can scan one-dimensional / two--dimensional barcodes
Scanning Accuracy	≥3.33mil
Scanning Angle	Pitch: ±60°; Skew: ±45°; Tilt: 360°
View Angle	Horizontal: 44.3°, Vertical: 28.4°, Diagonal: 51°
Motion Error Tolerance	8m/s

## Communication Transmission

WWAN (Network Frequency)	2G: B2/B3/B5/B8 3G: WCDMA: B1/B5/B8, CDMA&EVDO: BC0, TD-SCDMA: B34/B39 4G: FDD-LTE: B1/B3/B5/B7/B8/B20, TDD-LTE: B34/B38/B39/B40/B41
WWAN (Data Service)	GSM/GPRS/EDGE/CDMA/UMTS/HSPA/HSPA+/EVDO /WCDMA/TD-SCDMA/TDD-LTE/FDD-LTE
WLAN Function	Wi-Fi 802.11a/b/g/n/r/ac (2.4G + 5G dual-band Wi-Fi), support Wi-Fi 5G PA amplifier
Bluetooth	Bluetooth 5.0, support BLE
GPS	GPS/AGPS/BDS/Galileo/GLONASS/QZSS

## NFC (Optional)

Working Frequency	13.56 MHz
Reading Distance	Within 30 mm
Communication Protocol	ISO14443A/14443B/15693

## Development Support

Programming Language	Java
Development API	iScan API (Scanning Development Kits), Device API (Device Management/Configuration Development Kits), Android Standard Interface
Development Tool	Eclipse/Android Studio

## Communication Interface

USB Interface	Type-C (with headset function) *1
OTG Interface	Support

The information of iData products and software service may be subject to change without notice. Please contact your iData sales representative for the latest details.



## Each product comes with a pack of practical and cost-effective accessories

### USB Cable

Type-C to USB cable, 1m in length, support charging and data transmission



CHA-USBC-GNR

### Hand Strap

Wear on your wrist to carry the device, avoid accidental drops, and assure the safety of equipment



MNT-HS-GNR

### Power Adapter

Input voltage 100-240V, output 5V2A. Support plug types of China/Europe/UK/US/Australia, match with CHA-USBC-GNR

ps: you may have one of the power adapters



CHA-PWAD-GNR-5V2A-CN



CHA-PWAD-GNR-5V2A-EU



CHA-PWAD-GNR-5V2A-UK



CHA-PWAD-GNR-5V2A-US



CHA-PWAD-GNR-5V2A-AU

# T1 Optional Accessories for Charging

## Improve management efficiency of devices and operational level of enterprises

### Single Charging Cradle

Support charging for 1 main unit. Support plug types of China/Europe/UK/US/Australia

ps: you may have one of the power adapters




CHA-CRD1S-T1

### 4-slot Charging Cradle

Constituted by 4 CHA-CRD1S-T1, support maximum charging of 4 main units at the same time. Support plug types of China/Europe/UK/US/Australia

ps: you may have one of the power adapters



CHA-CRD4S-T1

## Improve device portability and comfort for users, boost working efficiency

### Fanny Pack

Used to carry main units and other accessories. Can be tied to the waist or used as a crossbody bag



MNT-FP-GNR

## Lower risks of malfunction during usage, extend lifespan of devices

### Protective Film

Protective film for touchscreen. It can protect the screen from cracking or being scratched in case there's any accidental drops or impact during usage



PRT-PTF-T1

### Protective Case

Protective case for the main unit. It can prevent the malfunction of main unit in case there's any accidental drops or impact during usage



PRT-PTC-T1

The information of iData products and software service may be subject to change without notice. Please contact your iData sales representative for the latest details.

